



Note: For dates of service prior to 10/01/14 please see previous versions of the Chemotherapy and biological LCD L31836 for CPT code requirements for date of service in question.

Drug Name	CPT Code	Dosage	Covered Diagnosis
Aldesleukin; Proleukin, Interleukin II (IL-2)	J9015	per single use vial	C43.0; C43.11, C43.12; C43.21; C43.22; C43.31; C43.39, C43.4, C43.51; C43.52; C43.59; C43.61; C43.62; C43.71; C43.72; C43.8; C43.9, C64.1; c64.2; C65.1; C65.2; C92.00-92.02; C92.10- C92.12; C92.20-C92.22; C92.30-C92.32; C92.40- C92.42; C92.50-C92.52; C92.60- C92.62; C92.90-C92.92; C92.A0- C92.A2; C92.Z0-C92.Z2; D03.0; D03.11; D03.12; D03.21; D03.22; D03.39; D03.4; D03.51; D03.52; D03.59; D03.61, D03.62; D03.71; D03.72; D03.8; D03.9
Bendamustine hydrochloride; Treanda	J9033		C81.01-c81.09; C81.11-c81.19; C81.21- C81.29; C81.31-C81.39; C81.41-C81.49; C81.71- C81.79; C81.91-c81.99; C82.01-C82.09; C82.11- C82.19; C82.21- C82.29; C82.31-C82.39; C82.41- C82.49; C82.51-C82.59; C82.61- C82.69; C82.81-C82.89; C82.91-C82.99; C83.11- C83.19; C83.51-C83.59; C83.81-C83.89; C84.91- C94.99; C84.A1-C84.A-; C84.Z1-C84.Z9; C85.11- C85.19; C85.21-C85.29; C85.81-C85.89; C85.91- C85.99; C86.0-C86.4; C88.0; C88.2-C88.4; C88.8; C900.00; C90.02; C90.10; C90.20; C90.30; C91.10-c91.12; D47.Z9
Bevacizumab; Avastin	J9035	10mg	C18.0-C18.9; C19; C20; C21.2; C21.8; C34.01- C34.02; C34.11-C34.12; C34.2; C34.31-C34.32; C34.81-C34.82; C34.91-c34.92; C45.1; C48.0; C48.1; C48.2; C48.8; C50.011-C50.012; C50.021-C50.022; C50.111-C50.112; C50.121- C50.122; C50.211-C50.212; C50.221-C50.222; C50.311-C50.312; C50.321-C50.322; C50.411- C50.412; c50.421-C50.422; C50.511-C50.512; C50.521-C50.522; C50.611-C50.612; C50.621- C50.622; C50.811-C50.812; C50.821-C50.822; C50.911-C50.912; C50.921-C50.922; C53.0- C53.1, C53.8-c53.9. C54.1-C54.3, C56.1; C56.2; C57.01-C57.02; C57.11-C57.12; C57.21-C57.22; C57.3; C57.4; C64.1; C64.2; C65.1; C65.2; C71.0- C71.8; C78.01-C78.02; C78.7; C79.01-C79.02
Cabazitaxel; Jevtana	J9043		C45.9; C61; C77.0-C77.9; C78.01-c78.02; C78.1- C78.2, C78.30, C78.39, C78.4-C78.7, C78.80, C78.89; C79.01-c79.02; C79.10-C79.11; C79.19; C79.2; C79.31-C79.32; C79.40; C79.49; C79.51- C79.52; C79.61-c79.62; C79.71-C79.72; C79.81- C79.82; C80.0-C80.2



Note: For dates of service prior to 10/01/14 please see previous versions of the Chemotherapy and biological LCD L31836 for CPT code requirements for date of service in question.

Carboplatin	J9045	50mg	C00.4-C00.6; C00.8-c00.9; C01; C02.0-C02.4; C02.8-C02.9; C03.0-C03.1; C03.9; C04.0-C04.1; C04.8-C04.9; C05.0-C05.2; C05.8; C06.0-C06.2; C06.89; C06.9; C07; C08.0-C08.1; C08.9; C09.0-C09.1; C09.8; C10.0-C10.4; C10.8-C10.9; C11.0-C11.3; C11.8-C11.9; C13.0; C13.2; C13.8-C13.9; c14.0; C14.2; C14.8; C15.3-C15.5; C15.8-C15.9; C16.0-C16.6; C16.8-C16.9; C30.0-c30.1; C31.0-C31.3; C31.8-C31.9; C32.0-C32.3; C32.8-C32.9; C33; C34.01-C34.02; C34.11-C34.12; C34.2; C34.31-C34.32; C34.81-C34.82; C34.91-c34.92; C37; C38.4; C40.01-c40.02; C40.11-C40.12; C40.21-C40.22; C40.31-c40.32; C40.81-C40.82; C40.91-C40.92; C41.0-C41.4; c41.9; C43.0; C43.11-C43.12; C43.21-C43.22; C43.31; C43.39; C43.4; C43.51-C43.52; C43.59; C43.61-c43.62; C43.71-C43.72; C43.8; C43.9; C44.00-C44.02; C44.09; C44.102; C44.109; C44.112; C44.119; C44.122; C44.129; C44.192; C44.199; C44.202; c44.209; C44.212; C44.219; C44.222; C44.229; C44.292; c44.299; C44.301; C44.309; C44.311; C44.319; C44.321; C44.329; C44.391; C44.399; C44.40-C44.42; C44.49; C44.500-C44.501; C44.509-C44.511; C44.519; C44.520-C44.521; C44.529; C44.590-C44.591; C44.599; C44.602; C44.609; C44.612; C44.619; C44.622; C44.629; C44.692; C44.699; C44.702; C44.709; C44.712; C44.719; C44.722; C44.729; C44.792; C44.799; C44.80-C44.82; c44.89; C44.90-c44.92; C44.99; C45.0; C45.1; C45.9; C48.1; C48.2; C48.8; C4A.0; C4A.11-C4A.12; C4A.21-C4A.22; C4A.31; C4A.39; C4A.4; C4A.51-C4A.52; C4A.59; A4a.61-C4A.62; C4A.71-C4a.72; C4A.8; C50.011-C50.12; C50.021-c50.022; C50.111-C50.112; C50.121-C50.122; C50.211-C50.212; C50.221-C50.222; C50.311-c50.312; C50.321-c50.322; C50.411-C50.412; C50.421-C50.422; C50.511-C50.512; C50.521-c50.522; C50.611-C50.612; C50.621-C50.622; C50.811-C50.812; C50.821-C50.822; C50.911-C50.912; C50.921-C50.922; C53.0; C53.1; C53.8; C53.9; C54.1-C54.3; C56.1-c56.2; C57.01-C57.02; C57.11-C57.12; C57.21-C57.22; C57.3; C57.4; C61; C62.01-c62.02; C62.11-C62.12; C62.91-c62.92; C64.1; C64.2; C65.1-C65.2; C66.1-c66.2; C67.0-C67.9; C69.21-C69.22; C69.31-C69.32; C71.0-9; C72.9; C74.01-
-------------	-------	------	--



Note: For dates of service prior to 10/01/14 please see previous versions of the Chemotherapy and biological LCD L31836 for CPT code requirements for date of service in question.

			c74.02; C74.11-c74.12; C74.91-c74.92; C75.0-C75.5; C75.8-c75.9; C76.0; C7A.1; C7A.8; C7B.1; C80.1; C81.01-C81.09; C81.11-C81.19; C81.21-C81.29; C81.31-C81.39; C81.41-C81.49; C81.71-C81.79; C81.91-C81.99; C82.01-C82.09; C82.11-C82.19; C82.21-C82.29; C82.31-c82.39; C82.41-c82.49; C82.51-c82.59; C82.61-c82.69; C82.81-c82.89; C82.91-C82.99; c83.01-C83.09; c83.11-c83.19; C83.31-C83.39; C83.51-c83.59; C83.71-c83.79; C83.81-c83.89; C83.91-c83.99; C84.01-C84.09; C84.11-c84.19; C84.41-c84.49; C84.61-c84.69; C84.71-C84.79; C84.91-C84.99; C84.A1-C84.A9; C84.Z1-C84.Z9; C85.11-c85.19; C85.21-C85.29; C85.81-c85.89; C85.91-C85.99; C86.0-C86.6; C88.4; C91.00-c91.02; C91.10-c91.12; C91.30-C91.32; C91.40-C91.42; C91.50-c91.52; C91.60-c91.62; C91.90-c91.92; C91.A0-C91.A2; C91.Z0-C91.Z2; C92.00-C92.02; C92.10-c92.12; C92.20-C92.21; C92.30-c92.32; C92.40-c92.42; C92.50-c92.52; C92.60-c92.62; C92.90-c92.92; C92.A0-C92.A2; C92.Z0-C92.Z2; C93.00-C93.02; C93.10-c93.12; C93.30-c93.32; C93.90-C93.92; C93.Z0-C93.Z2; C94.00-C94.02; C94.20-C94.22; C94.30-C94.32; c94.80-C94.82; C95.00-C95.02; C95.10-c95.12; C95.90-C95.92; C96.0; C96.2; C96.4; C96.9; C96.A; C96.Z; D03.0; D03.11-D03.12; D03.21-D03.22; D03.30; D03.39; D03.4; D03.51-D03.52; D03.59; D03.61-D03.62; D03.71-D03.72; D03.8; D03.9; D09.0; D15.0; D37.01-D37.05; D37.09; D37.8; D38.0; D43.0; D43.1; D43.4; D45; D49.0; D49.1; D49.2; D49.6; D49.89; D49.9; Z85.020; z85.030; Z85.040; Z85.060; Z85.110; Z85.118; Z85.230; Z85.238; z85.29; Z85.3; Z85.46; Z85.51; Z85.520; Z85.821; Z85.858
Capsaicin 8% patch (Qutenza®)	J7335		B02.0; B02.29
Cetuximab; Erbitux	J9055	10 mg	C00.0-C00.9; C01; C02.0-C02.4; C02.8-C02.9; C03.0-C03.1; C03.9; C04.0; C04.1; C04.8-C04.9; C05.0-C05.2; C05.8-C05.9; C06.0-C06.2; C06.89; C06.9; C07; C08.0-C08.1; C08.9; C09.0-C09.1; C09.8; C10.0-C10.4; C10.8-C10.9; C11.0-C11.3; C11.8-C11.9; C12; C13.0-C13.2; C13.8-C13.9; C14.0; C14.2; C14.8; C18.0-C18.9; C19; C20; C21.1; C21.8; C30.0-C30.1; C31.0-C31.3; C31.8-C31.9; C32.0-C32.3; C32.8-C32.9; C33; C34.01-C34.02; C34.11-C34.12; C34.2; C34.31-C34.32;



Note: For dates of service prior to 10/01/14 please see previous versions of the Chemotherapy and biological LCD L31836 for CPT code requirements for date of service in question.

			C34.81-C34.82; C34.91-C34.92; C41.0; C44.00-C44.02; C44.09; C44.40-C44.42; C47.0; C49.0; C76.0; D00.01-D00.08; D04.0; D04.39; D04.4; D37.01-D37.02; D37.04-D37.05; D37.08; D38.0
Decitabine; DACOGEN	J0894	1mg	C92.00-c92.02; C92.10-c92.12; C92.40-C92.42; C92.50-C92.52; c92.60-C92.62; C92.90-C92.92; C92.A0-C92.A2; C92.Z0-C92.Z2; D46.0; D46.1; D46.20-D46.21; D46.A; D46.B; D46.22; D46.9; D46.C; D46.Z; D47.1; D47.Z1
Denileukin Difitox; Ontak Limitations: Prior to the administration of denileukin difitox, the patient's malignant cells should be tested for CD25 expression	J9160	300mcg	C82.51; C82.54-C82.55; C82.58-c82.59; C84.01-c84.09; C84.11-C84.19; C84.41-C84.49; C84.61-C84.69; C84.71-C84.79; C84.91; C84.94-C84.95; C84.98-C84.99; C84.A1; C84.A4-C84.A5; C84.A8-C84.A9; C84.Z1; C84.Z4-C84.Z5; C84.Z8-C84.Z9; C85.11; C85.14-C85.15; C85.18-C85.19; C85.21-C85.29; C85.81; C85.84-c85.85; C85.88-C85.89; C85.91; C85.94-C85.95; C85.98-C85.99; C86.0; C86.4; C91.00-C91.02; C91.10-c91.12; C91.30-c91.32; C91.50-C91.52; C91.60-C91.62; C91.90-C91.92; C91.A0-C91.A2; C91.Z0-C91.Z2
Denosumab (Prolia, Xgeva)	96372 J0897 Part A only C9399		C40.01-C40.02; C40.11-C40.12; C40.21-C40.22; C40.31-C40.32; C41.0-C41.4; C50.011-C50.012, C50.111-C50.112, C50.211-C50.212, C50.311-C50.312, C50.411-C50.412, C50.511-C50.512, C50.611-C50.612, C50.811-C50.812, C50.911-c50.912, C61, C79.51-C79.52; C7B.09; C7B.09, C7B.8; D48.0; M81.0; M81.8; M81.6; M81.8; M85.9, M89.9, M94.9, Z51.89, Z79.811, Z85.3, Z85.46, Z79.3, Z79.891, Z79.899
Docetaxel; Taxotere	J9171	1mg	C00.00-C00.8; C01; C02.0-c02.4; C02.8-C02.9; C07; C08.0-C08.1; C03.0-C03.1; C03.9; C04.0-C04.1; C04.9; C05.0-C05.2; C05.8; C06.0-C06.2; C06.89; C06.9; C08.9; C09.0-C09.1; C09.8; C10.0-c10.4; C10.8-C10.9; c11.0-C11.3; c11.8-C11.9; C12; C13.0-C13.2; C13.8-C13.9; C14.0; C14.2; C14.8; C15.3-C15.5; C15.8-C15.9; C16.0-C16.6; C16.8-C16.9; C25.0-C25.4; C25.7-c25.9; C30.0-C30.1; C31.0-C31.3; C31.8-C31.9; C32.0-C32.3; c32.8-c32.9; C33; C34.01-C34.02; C34.11-C34.12; C34.2; C34.31-C34.32; C34.81-C34.82; C34.91-C34.92; C40.01- c40.02; C40.11-C40.12; C40.21-C40.22; C40.31-C40.32;



Note: For dates of service prior to 10/01/14 please see previous versions of the Chemotherapy and biological LCD L31836 for CPT code requirements for date of service in question.

			C40.81-C40.82; C40.91-C40.92; C41.0-c41.4; C43.0; C43.11-C43.12; C43.21-C43.22; C43.31;C43.39; C43.4; C43.51-C43.52; C43.59; C43.61-C43.62; C43.71-C43.72; C43.8; C43.9; C44.00-C44.02; C44.09; C44.202;C44.219; C44.222; C44.229;C44.292; C44.299; C44.300-c44.301; C44.310-C44.311; C44.320-C44.321; C44.390-C44.391; C44.40-C44.42;C44.49; C45.1;C45.9; C46.0-c46.4; C46.51-c46.52; C46.7; C46.9; C47.0; C47.11-C47.12; C47.21-C47.22; C47.4; C47.8-C47.9; C48.0-c48.2; C48.8; C49.0; C49.11-C49.12; C49.21-C49.22; C49.4;C49.8-C49.9; C50.011-C50.012; C50.021-C50.022; C50.111-C50.112; C50.121-C50.122; C50.211-C50.212; C50.221-C50.222; C50.311-c50.312; C50.321-c50.322; C50.411-C50.412; C50.421-C50.422; C50.511-c50.12; C50.221-C50.222;C50.611-C50.612; C50.621-C50.622; C50.811-C50.812; C50.821-C50.822; C50.911-C50.912; C50.921-C50.922; C53.0-C53.1; C53.8-C53.9;C54.0-C54.3; C54.8; C55; C56.1-C56.2; C57.01-C57.02; C57.11-C57.12; C57.21-C57.22;C57.3-C57.4; C61; C65.1-c65.2; C66.1-C66.2; C67.0-C67.9; C68.0; C68.8-C68.9;C69.01-C69.02; C69.11-C69.12; C69.21-C69.22; C69.31-C69.32; C69.41-C69.42; C69.51-C69.52; C69.61-C69.62; C69.81-C69.82; C69.91-C69.92; C70.0; C71.0-C71.9; C72.21-C72.22; C72.31-c72.32; C72.41-c72.42; c72.59; C73; C75.0; C75.4; C76.0; C7B.00-C7B.04; C7B.1; C7B.09; C7B.8; C80.0-C80.1; D03.0; D03.11-D03.12; D03.22; D03.30; D03.39; D03.4; D03.51-D03.52; D03.59; D03.61-D03.62; D03.71-D03.72; D03.8; D03.9; D37.01-D37.02; D37.04-D37.05; D37.09;D37.1-D37.5; D37.8-D37.9; D38.0; D48.1-D48.2; D49.0-D49.2; D49.6; D49.81; D49.89; D49.9
Doxorubicin Doxorubician Hydrochloride	J9000	10mg	C40.01-C40.02; C40.11-C40.12; C40.2-C40.22; C40.31-C40.32; C40.81-C40.82; C40.91-c40.92; C41.0-c41.4; C41.9; C45.1-; C46.0-C46.4; C46.51-c46.52; C46.7; C46.9; C47.0; C47.11-C47.12; C47.22; C47.4; C47.8-C47.9; C48.0-C48.2; C48.8; C49.0; C49.11-c49.12; C49.21-C49.22; C49.4; C49.8-C49.9; C4A.4; C4A.51-C4A.52; C4A.59; C4A.61-C4A.62; C4A.71-C4A.72; C4A.8; C50.011-C50.012; C50.021-C50.022; C50.111-C50.112; c50.121-C50.122;



Note: For dates of service prior to 10/01/14 please see previous versions of the Chemotherapy and biological LCD L31836 for CPT code requirements for date of service in question.

			C50.211-C50.212; C50.221-C50.222; C50.311-c50.312; C50.321-c50.322; C50.411-C50.412; C50.421-c50.422; C50.511-C50.512; C50.521-C50.522; C50.611-C50.612; C50.621-C50.622; C50.811-C50.812; C50.821-C50.822; C50.911-C50.912; C50.921-C50.922; C54.0-C54.3; C54.8; C56.1-C56.2; C57.01-C57.02; C57.11-C57.12; C57.21-C57.22; C57.3; C57.4; C78.6; C7A.00; C7A.010-C7A.012; C7A.019; C7A.020-C7A.026; C7A.029; C7A.090-C7A.096; C7A.098; C7A.1; C7A.8; C7B.00-C7B.04; C7B.09; C7B.1; C7B.8; C81.01-c81.09; C81.11-c81.19; C81.21-C81.29; C81.38-C81.39; C81.41-C81.49; C81.91-C81.99; C84.01-C84.09; C84.11-c84.19; C88.2; C88.3; C88.8; C900.00-C90.02; C90.10; C90.20; C90.30; D47.Z9; D48.1; D48.2
Doxorubicin, Liposomal; Doxil, Caelyx Doxorubicin hydrochloride, all lipid formulations Lipodox-still available for use in place of unavailable Doxil	J9002	10mg	C40.01-C40.02; C40.11-C40.12; C40.21-C40.22; C40.31-C40.32; C40.81-C40.82; C40.91-C40.92; C41.0-C41.4; C45.1; C46.0-C46.4; C46.51-C46.52; C46.7; C46.9; C47.0; C47.11-C47.12; C47.21-C47.22; C47.4; C47.8-C47.9; C48.0-C48.2; C48.8; C49.0; C49.11-C49.12; C49.21-C49.22; C49.4; C49.8-c49.9; C50.011-C50.012; C50.021-C50.022; C50.111-C50.112; C50.121-C50.122; C50.211-C50.212; C50.221-C50.222; C50.311-C50.312; C50.321-C50.322; C50.411-C50.412; C50.421-C50.422; C50.511-C50.512; C50.521-C50.522; C50.611-C50.612; C50.621-C50.622; C50.811-C50.812; C50.821-C50.822; C50.911-C50.912; C50.921-C50.922; C54.0-C54.3; C54.8; C56.1-C56.2; C57.01-C57.02; C57.11-C57.12; C57.21-C57.22; C57.3-C57.4; C78.6; C81.01-C81.09; C81.18-C81.19; C81.21-C81.29; C81.38-C81.39; C81.41-C81.49; C81.91-C81.99; C84.01-C84.09; C84.11-C84.19; C88.2-C88.3; C88.8; C90.00-C90.02; C90.10; c90.20; C90.30; C4A.0; C4A.11; C4A.12; C4A.21; C4A.22; C4A.31; C4A.39; C4A.4; C4A.51; C4A.52; C4A.59; C4A.61; C4A.62; C4A.71; C4A.72; C4A.8; C7A.00; C7A.010; C7A.011; C7A.012; C7A.019; C7A.020; C7A.021; C7A.022; C7A.023; C7A.024; C7A.025; C7A.026; C7A.029; C7A.090; C7A.091; C7A.092; C7A.093; C7A.094; C7A.095; C7A.096; C7A.098; C7A.1; C7A.8; C7B.00; C7B.01; C7B. 02; C7B.03; C7B.04; C7B.09; C7B.1; C7B.9; D47.Z9; D48.1-D48.2



Note: For dates of service prior to 10/01/14 please see previous versions of the Chemotherapy and biological LCD L31836 for CPT code requirements for date of service in question.

Ecuzumab; Soliris	J1300	300mg	D59.3; D59.5-D59.6; D59.8
Epirubicin; Epirubicin HC1	J9178	2mg	C11.0-c11.3; C11.8-c11.9; C15.3-C15.5; C15.8-C15.9; C16.0-C16.6; C16.8-C16.9; C34.01-C34.02; C34.11-C34.12; C34.2; C34.31-c34.32; C34.81-C34.82; C34.91-C34.92; C40.01-C40.02; C40.11-C40.12; C40.21-C40.22; C40.31-C40.32; C40.81-c40.82; C40.91-c40.92; C41.0-c41.4; C41.9; C45.1; C47.0; C47.11-C47.12; C47.21-c47.22; C47.3 C47.6; C47.8-c47.9; C48.0-C48.2; C48.8; C49.0; C49.11-C49.12; C49.21-c49.22; C49.3-C49.6; C49.8-c49.9; C4A.0; C4A.11-C4A.12; C4A.21-C4A.22; C4A.31; C4A.39; C4A.4; C4A.51-C4A.52; C4A.59; C4A.61-C4A.62; C4A.71-C4a.72; C4A.8; C50.011-C50.012; C50.021-C50.022; C50.111-C50.112; C50.121-C50.122; C50.211-C50.212; C50.211-C50.212; C50.221-C50.222; C50.311-C50.312; C50.321-C50.322; C50.411-C50.412; C50.421-C50.422; C50.511-C50.512; C50.521-C50.522; C50.611-C50.612; C50.621-C50.622; C50.811-C50.812; C50.821-C50.822; C50.911-C50.912; C50.921-C50.922; C56.1-C56.2; C57.01-C57.02; C57.11-C57.12; C57.21-C57.22; C57.3-C57.4; C67.0-C67.9; C7B.1; C81.01-C81.09; C81.11-C81.19; C81.21-C81.29; C81.31-C81.39; C81.41-C81.49; C81.71-C81.79; C81.91-C81.99; C82.01-C82.09; C82.11-C82.19; C82.21-C82.29; C82.31-c82.39; C82.41-c82.49; C82.51-C82.59; C82.61-C82.69; C82.81-C82.89; C82.91-C82.99; C83.01-C83.09; C83.11-C83.19; C83.31-C83.39; C83.51-C83.59; C83.71-C83.79; C83.81-C83.89; C83.91-C83.99; C84.01-C84.09; C84.11-C84.19; C84.41-C84.49; C84.61-C84.69; C84.71-c84.79; C84.91-C84.99; C84.A1-C84.A9; C84.Z1-C84.Z9; C85.11-C85.19; C85.21-c85.29; C85.81-c85.89; C85.91-C85.99; C86.0-C86.6; C88.4; C91.40-C91.42; C96.0; C96.2; C96.4; C96.9; C93.A; C96.Z; D37.1-D37.5; D37.8; D48.1-D48.2
Eribulin Mesylate; Halaven Halaven Injection	J3490 J3590 J9179		C50.011-C50.012; C50.021-C50.022; C50.111-C50.112; C50.121-C50.122; C50.211-C50.212; C50.221-C50.222; C50.311-C50.312; C50.321-C50.322; C50.411-C50.412; C50.421-C50.422; C50.511-C50.512; C50.521-c50.522; C50.611-C50.612; C50.621-C50.622; C50.811-C50.812;



Note: For dates of service prior to 10/01/14 please see previous versions of the Chemotherapy and biological LCD L31836 for CPT code requirements for date of service in question.

			C50.821-C50.822; C50.911-C50.912; C50.921-C50.922;
Etoposide Limitations: for AIDS related B-cell lymphoma, ICD-10-CM code B20 should be reported in addition to ICD-10-CM codes ; C83.01-C83.09; C83.31-C83.39; C83.71-C83.79; C83.81-C83.89; C83.91-C83.99; C85.21-C85.29; C82.51-C82.59; C84.91-C84.99; C84.A1-C84.A9; C84.Z1-C84.Z9; C85.11-C85.19; C85.21-C85.29; C85.81-C85.89; C85.91-C85.99; C86.0-C86.6.	J9181	10mg	C16.0-C16.9; C22.0; C22.2-C22.4; C22.7; C22.9; C30.0-C30.1; C31.1-C31.2; C31.8-C31.9; C33; C34.01-C34.02; C34.11-C34.12; C34.2; C34.31-C34.32; C34.81-C34.82; C34.91-C34.92; C37; C38.8; C40.01-C40.02; C40.11-C40.12; C40.21-C40.22; C40.31-C40.32; C40.81-C40.82; C4091-C40.92; C41.0-C41.4; C41.9; C44.00-C44.02; C44.09; C44.102; C44.109; C44.112; C44.119; C44.129; C44.192; C44.199; C44.202; C44.209; C44.212; C44.219; C44.222; C44.229; C44.292; C44.299; C44.301; C44.309; C44.311; C44.319; C44.321; C44.329; C44.391; C44.399; C44.40-C44.42; C44.49; C44.500-C44.501; C44.509-C44.511; C44.519-C44.521; C44.529; C44.590-C44.591; C44.599; C44.602; C44.609; C44.612; C44.619; C44.622; C44.629; C44.692; C44.699; C44.702; C44.709; C44.712; C44.719; C44.722; C44.729; C44.792; C44.792; C44.80-C44.82; C44.89-C44.92; C44.99; C45.1; C45.9; C46.0-C46.4; C46.51-C46.52; C46.7; C46.9; C47.0; C47.11-C47.12; C47.21-C47.22; C47.3-C47.6; C47.8-C47.9; C48.1-C48.2; C48.8; C49.0; C49.11-C49.12; C49.21-C49.22; C49.3-C49.6; C49.8-C49.9; C4A.0; C4A.11-C4A.12; C4A.21-C4A.22; C4A.31; C4A.39; C4A.4; C4A.51-C4A.52; C4A.59; C4A.61-C4A.62; C4A.71-C4A.72; C4A.8; C50.11-C50.12; C50.022-C50.22; C50.111-C50.112; C50.121-C50.122; C50.211-C50.212; C50.221-C50.222; C50.311-C50.312; C50.321-C50.322; C50.411-C50.412; C50.421-C50.422; C50.511-C50.512; C50.521-C50.522; C50.611-C50.612; C50.621-C50.622; C50.811-C50.812; C50.821-C50.822; C50.911-C50.912; C50921-C50.922; C54.0-C54.0-C54.3; C54.8; C56.1-C56.2;



Note: For dates of service prior to 10/01/14 please see previous versions of the Chemotherapy and biological LCD L31836 for CPT code requirements for date of service in question.

			C57.01-C57.02; C57.11-C57.12; C57.21-C57.22; C57.3-C57.4; C58; C61; C62.01-C62.02; C62.11- c62.12; C62.21-c62.22; C62.91- C62.92; C64.1-C64.2; C67.0-C67.9; C71.0-C71.9; C72.9; C74.01- c74.02; C74.11-C74.12; C74.91- C74.92; C75.0-C75.5; C75.8-C75.9; C7A.090; C7A.1; C7A.8; C80.1; C81.01-C81.09; C81.11-C81.19; C81.21-C81.29; C81.31-C81.39; C81.41-C81.49; C81.71-C81.79; C81.91-C81.99; C82.01-C82.09; C82.11-C82.19; C82.21-C82.29; C82.31-C82.39; C82.41-C82.49; c82.51-C82.59; C82.61-C82.69; C82.81-C82.89; C82.91-C82.99; C83.01-C83.09; C83.11-C83.19; C83.31-C83.39; C83.51-C83.59; C83.71-C83.79; C83.81-C83.89; C83.91-C83.99; C84.01-C84.09; C84.11-C84.19; C8441-C84.49; C84.61-C84.69; C84.71-C84.79; C84.91-C84.99; C84.A1-C84.A9; C84.Z1-C84.Z9; C85.11-C85.19; C85.21-C85.29; C85.81-C85.89; C85.91-C85.99; C86.0-c86.6; C88.2-C88.4; C88.8; C90.00- C90.02; C90.10; C90.12; C90.20; C90.22; C90.30; C90.32; C91.00- C91.02; C91.10; C91.12; C91.40- C91.42; C91.90; C91.92; C92.00- C92.02; C92.10-C92.12; C92.40- c92.42; C92.50-C92.52; C92.60- c92.62; C92.A0-C92.A2; C93.00- C93.02; C94.00-C94.02; c94.40- c94.42; C96.0; C96.2; C96.4; C96.9; C96.A; C96.Z; D15.0; D15.7; D39.2; D43.0-D43.1; D43.4; D46.0-D46.1; D46.21-D46.22; D46.A; D46.B; D46.C; D46.Z; D47.1; D47.3; D47.Z1; D47.Z9; D48.1-D48.2; D49.0-D49.2; D49.6; D49.89; D49.9; Z76.82; Z85.020; Z85.030; Z85.040; Z85.060; Z85.110; Z85.118; Z85.230; Z85.238; Z85.29; Z85.3; Z85.46; Z85.520; Z85.821; Z85.830; Z85.841; Z85.858
Floxuridine	J9200	500mg	C16.0-C16.9; C18.0-C18.9; C19; C20; C21.0-C21.2; C21.8; C22.0- C22.4; C22.7; C22.9; C56.1-C56.2; C57.01-C57.02; C57.4; C64.1-



Note: For dates of service prior to 10/01/14 please see previous versions of the Chemotherapy and biological LCD L31836 for CPT code requirements for date of service in question.

			C64.2; C65.1-C65.2
Fluocinolone acetone intravitreal implant * Code ICD-10-CM code A18.53 or H30.131-H30.133 first with any underlying disease	J7311		H30.001-H30.003; H30.101-H30.103; H30.121-H30.123; H30.131-H30.133; H30.21-H30.23; H30.891-H30.893; H30.91-H30.93; H35.061-H35.063; H44.111-H44.113; H44.131-H44.133
Gemcitabine Gemzar, Gemcitabine hydrochloride	J9201	200mg	C11.0-C11.3; C11.8-C11.9; C14.0; C14.2; C14.8; C22.1; C23; C24.0- c24.1; C24.8-C24.9; C25.0-C25.4; C25.7-C25.9; C33; C34.01-C34.02; C34.11-c34.12; C34.2; C34.31- c34.32; C34.81-C34.82; C34.91- c34.92; C37; C38.1-C38.4; C38.8; C40.01-C40.02; C40.11-C40.12; C40.21-C40.22; C40.31-c40.32; C40.81-c40.82; C40.91-c40.92; C41.0-C41.4; C41.9; C45.0; C45.1; C45.7; C45.9; C46.0-C46.4; C46.51-C46.52; C46.7; C46.9; C47.0; C47.11-C47.12; C47.21- C47.22; C47.3-c47.9; C48.0-C48.2; C48.8; C49.0; C49.11-C49.12; C49.21-C49.22; C49.3-C49.6; C49.8-C49.9; C50.011-c50.012; C50.021-C50.022; C50.111-C50.112; C50.121-C50.122; C50.211-C50.212; C50.221-C50.222; C50.311-C50.312; C50.321-C50.322; C50.411-C50.412; C50.421-C50.422; C50.511-C50.512; C50.521-C50.522; C50.611-C50.612; C50.621-C50.622; C50.811-C50.812; C50.821-C50.822; C50.911-C50.912; C50.921-C50.922; C53.0-C53.1; C53.8-C53.9; C54.0-C54.8; C54.8; C55; C56.1-C56.2; C57.01-C57.02; C57.11-C57.12; C57.21-C57.22; C57.3-C57.4; C58; C61; C62.01- C62.02; C62.11-C62.12; C62.91- C62.92; C64.1-C64.2; C65.1-C65.2; C66.1-C66.2; C67.0-C67.9; C75.3; C76.0-C76.3; C76.41-C76.42; C76.51-C76.52; C76.8; C7A.1; C7A.8; C80.0; C80.1; C81.01- C81.09; C81.11-C81.19; C81.21- C81.29; C81.31-C81.39; C81.41- C81.49; C81.71-C81.79; C81.91- C81.99; C82.01-c82.09; C82.11- C82.19; C82.21-C82.29; C82.31-



Note: For dates of service prior to 10/01/14 please see previous versions of the Chemotherapy and biological LCD L31836 for CPT code requirements for date of service in question.

			C82.39; C82.41-C82.49; C82.51-C82.59; C82.61-C82.69; C82.81-C82.89; C82.91-C82.99; C83.01-C83.09; C83.11-C83.19; C83.31-C83.39; C83.51-C83.59; C83.71-C83.79; C83.81-C83.89; C83.91-C83.99; C84.01-C84.09; C84.11-C84.19; C84.41-C84.49; C84.61-C84.69; C84.71-C84.79; C84.91-C84.99; C84.A1-C84.A9; C84.Z1-C84.Z9; C85.11-C85.19; C85.21-C85.29; C85.81-C85.89; C85.91-C85.99; C86.0-C86.6; C88.4; C91.40-C91.42; C96.0; C96.2; C96.4; C96.9; C96.A; C96.Z; D09.0; D15.0; D37.01-D37.02; D37.04-D37.05; D37.09; D48.1-D48.2; D49.0-D49.2; D49.6; D49.89; D49.9; Z85.05; Z85.068; Z85.07; Z85.09; Z85.118; Z85.12; Z85.20; Z85.238; Z85.29; Z85.3; Z85.42-Z85.44; Z85.47; Z85.51; Z85.528; Z85.53-Z85.54; Z85.59; Z85.79; Z85.71-Z85.72; Z85.79; Z85.818; Z85.828; Z85.830-Z82.831; Z85.858; Z85.89
Gemtuzumab Ozogamicin; Mylotarg	J9300	5mg	C92.00-c92.02; C92.40-C92.42; C92.50-c92.52; C92.60-c92.62; C92.A0-C92.A2
Goserelin Acetate Implant Limitations: The ICD-10-CM codes listed with an asterisk (*) are considered secondary codes. When these codes are reported for J9202, the claim must also include a diagnosis from the primary diagnosis list.	J9202	Per 3.6mg	C50.011-C50.12; C50.021-C50.022; C50.111-C50.112; C50.121-C50.122; C50.211-C50.212; C50.221-C50.222; C50.311-C50.312; C50.321-C50.322; C50.411-C50.412; C50.421-C50.422; C50.511-C50.512; C50.521-C50.222; C50.611-C50.612; C50.621-C50.622; C50.811-C50.812; C50.821-C50.822; C50.911-C50.912; C50.921-C50.922; C61; C77.2*; C77.4*, C77.8*; C77.9*; C78.01*; C78.02*; C78.6*; C78.7*; C79.2*; C79.31*; C79.51*; C79.52*; D07.5; D25.0-D25.2; D25.9; N80.0-N80.6; N80.8-N80.9; N89.7; N92.5; N93.8; Z85.3; Z85.46
Ifosfamide NOTE: for AIDS related B-cell lymphoma, ICD-10-CM code B20 should be reported in addition to ICD-	J9208	1 gram	C00.0-C00.9; C01; C02.0-C02.4; C02.8-C02.9; C03.0-C03.1; C03.9; C04.0-C04.01; C04.8-C04.9; C05.0-C05.2; C05.8; C06.1-C06.2; C06.89; C06.9; C07; C08.0-c08.1; C08.9; C09.0-c09.1; C09.8; C10.0-C10.4; C10.8-C10.9; C11.0-C11.3; C11.8-C11.9; C12; C13.0-C13.2;



Note: For dates of service prior to 10/01/14 please see previous versions of the Chemotherapy and biological LCD L31836 for CPT code requirements for date of service in question.

10-CM codes C83.01-C83.09; C83.71-C83.79; C83.81-C83.89; C83.91-C83.99; and C86.5-C86.6		C13.8-C13.9; C14.0; C14.2; C14.8; C22.0-c22.4; C22.7; C22.9; C25.0-C25.4; C25.7-C25.9; C30.0-C30.1; C31.0-c31.3; C31.8-C31.9; C32.0-C32.3; C32.8-C32.9; C33; C34.01-C34.02; C34.11-C34.12; C34.2; C34.31-C34.32; C34.81-C34.82; C34.91-C34.92; C37; C38.8; C40.01-C40.02; C40.11-c40.12; C40.21-C40.22; C40.31-C40.32; C40.81-c40.82; C40.91-C40.92; C41.0-C41.4; C41.9; C44.00-C44.02; C44.09; C44.102; C44.109; C44.112; C44.119; C44.122; C44.129; C44.192; C44.199; C44.202; C44.209; C44.212; C44.219; C44.222; C44.229; C44.292; C44.299; C44.300-C44.301; C44.309-c44.311; C44.319; C44.320-c44.321; C44.329; C44.390-C44.391; c44.399; C44.40-c44.42; c44.49; C44.500-c44.501; C44.509-C44.511; C44.519; C44.520-c44.521; C44.529; C44.590-C44.591; C44.599; C44.602; C44.609; C44.612; C44.619; C44.622; C44.629; C44.692; C44.699; C44.702; C44.709; C44.712; C44.719; C44.722; C44.729; C44.792; C44.799; C44.80-C44.82; C44.89; C44.90-C44.92; C44.99; C45.1; C47.11-C47.12; C47.21-c47.22; C47.3-C47.6; C47.8-C47.9; C48.0-c48.2; C48.8; C49.0; C49.11-C49.12; C49.21-c49.22; C49.3-C49.6; C49.8-C49.9; C50.011-C50.012; C50.021-C50.022; C50.111-C50.112; C50.121-C50.122; C50.211-C50.212; C50.221-C50.222; C50.311-C50.312; C50.321-C50.322; C50.411-C50.412; C50.421-C50.422; C50.511-C50.512; C50.521-c50.522; C50.611-c50.612; C50.621-C50.622; C50.811-C50.812; C50.821-C50.822; C50.911-C50.912; C50.921-c50.922; C53.0-C53.1; C53.8-C53.9; C54.0-C54.3; C54.8; C55; C56.1-C56.2; C57.01-C57.02; C57.11-C57.12; C57.21-C57.22; C57.3-C57.4; C62.01-C62.02; C62.11-C62.12; c62.91-C62.92; C64.1-C64.2; C65.1-C65.2; C66.1-C66.2; C67.0-C67.9; C76.0; C7A.1; C7A.8;
---	--	--

Confidential, unpublished property of CGS

Do not duplicate or distribute

Use and distribution limited solely to authorized personnel

© Copyright 2013 (CGS Administrators, LLC)



Note: For dates of service prior to 10/01/14 please see previous versions of the Chemotherapy and biological LCD L31836 for CPT code requirements for date of service in question.

			C81.01-C81.09; C81.11-C81.19; C81.21-C81.29; C81.31-C81.39; C81.41-C81.49; C81.71-C81.79; C81.91-C81.99; C82.01-C82.09; C82.11-C82.19; C82.21-C82.29; C82.31-C82.39; C82.41- C82.49; C82.51-C82.59; C82.61- C82.69; C82.81-C82.89; C82.91- C82.99; C83.01-C83.09; C83.11- C83.19; C83.31-C83.39; C83.51- C83.59; C83.71-C83.79; C83.81- C83.89; C83.91-C83.99; C84.01- C84.09; C84.11-C84.19; C84.41- C84.49; C84.61-C84.69; C84.71- C84.79; C84.91-C84.99; C84.A1- C84.A9; C84.Z1-C84.Z9; C85.11- C85.19; C85.21-C85.29; C85.85.81- C85.89; C85.91-C85.99; C86.0- C86.6; C88.4; C90.00; C90.02; C91.00-C91.02; C91.40-C91.42; C96.0; C96.2; C96.4; C96.9; C96.A; C96.Z; D09.0; D15.0; D26.7; D37.01-D37.02; D37.04- D37.05; D37.09; D38.0; D48.1- D48.2
Iron Sucrose, Iron Dextran and Ferumoxytol, (Intravenous Iron Therapy)	J1750 J1756 J3490 Q0138 Q0139 <u>Part A</u> use J1756		One of the primary diagnoses AND one of the secondary diagnoses listed with an asterisk (*) are required for payment of iron sucrose or iron dextran or ferumoxytol. For patients with iron deficiency anemia who do not respond to oral iron supplementation due to malabsorption disorders or patients who have documented intolerance to oral iron supplementation. D50.0-d50.1; D50.8-D50.9; K90.9*; K91.2*; 099.011-099.013; T36.0X5A-T36.8X5A*; T37.0X5A-T37.5X5A*; T37.8X5A*; T38.0X5A-T38.5X5A*; T38.7X5A*; T38.815A*; T38.895A*; T38.995A*; T39.015A*; T39.095A*; T39.1X5A-T39.2X5A*; T39.315A*; T39.395A*; T39.4X5A*; T39.8X5A*; Y40.0X5A-T40.8X5A*; T40.995A*; T41.5X5A*; T42.0X5A-T42.6X5A*; T42.8X5A*; T43.015A*; T43.025A*; T43.1X5A*; T43.215A*; T43.225A*; T43.295A*; T43.3X5A-



Note: For dates of service prior to 10/01/14 please see previous versions of the Chemotherapy and biological LCD L31836 for CPT code requirements for date of service in question.

		T43.4X5A*; T43.595A*; T43.615A*; T43.625A*; T43.8X5A*; T44.0X5A- T44.8X5A*; T44.995A*; T45.0X5A- T45.4X5A*; T45.515A*; T45.525A*; T45.615A*; T45.625A*; T45.695A*; T45.7X5A-T45.8X5A*; T46.0X5A- T46.8X5A*; T46.995A*; T47.0X5A- T47.8X5A*; T48.0X5A-T48.1X5A*; T48.295A*; T48.3X5A-T48.6X5A*; T48.995A*; T49.0X5A-T49.8X5A*; T50.0X5A-T50.8X5A*; T50.955A*; T50.A15A*; T50.A25A*; T50.A95A*; T50.B15A*; T50.B95A*; T50.Z15A*; T50.Z95A*; Z87.19* For anemia related to chronic kidney disease: D50.0-D50.1*; D50.8-D50.9*; D63.1*; N18.3-N18.6 Initial treatment of absolute iron deficiency in patients receiving myelosuppressive chemotherapy who have asymptomatic anemia and risk factors for the development of symptomatic anemia requiring transfusion: D63.0; Z51.11*; Z51.89* For patients with anemia related to chemotherapy, claims must be reported with ICD-10-CM code D64.81 (antineoplastic chemotherapy induced anemia) related to chemotherapy plus the non-myeloid malignancy for which the chemotherapy was administered. (Note: C92.00-C92.02; C92.10- C92.12; C92.20-C92.22; C92.30- C92.32; C92.40-C92.42; C92.50- C92.52; C92.60-C92.62; C92.91- c92.91; C92.A0-C92.A2; C92.Z1- C92.Z2, C93.00-C93.02; C93.10- C93.12; C93.30-c93.32; C93.90- C93.92; C93.Z0-C93.Z2 C94.00- c94.02; C94.20-C94.22; C94.30- C94.32; C94.80-C94.82; C95.00- C95.02; C95.10-C95.12; C95.90- C95.92; D45 are myeloid malignancies and are excluded
--	--	--

Confidential, unpublished property of CGS

Do not duplicate or distribute

Use and distribution limited solely to authorized personnel

© Copyright 2013 (CGS Administrators, LLC)



Note: For dates of service prior to 10/01/14 please see previous versions of the Chemotherapy and biological LCD L31836 for CPT code requirements for date of service in question.

			from coverage.) C00.0-C00.9; C01; C02.0-C02.04; C02.8-C02.9; C03.0-C03.1; C03.9; C04.0-C04.1; C04.8-C04.9; C05.0- c05.2; C05.8-c05.9; C06.0-C06.2; c06.89; C06.9;C07; C08.0-c08.1; C08.9; C09.0-c09.1; C09.8; C10.0- C10.4; C10.8-C10.9; C11.0-C11.3; C11.8-C11.9; C12; C13.0-C13.2; C13.8-C13.9; C14.0; C14.2; C14.8; C15.3-c15.5; C15.8-C15.9; C16.0- C16.6; C16.8-C16.9; C17.0-c17.3; C17.8-c17.9; C18.0-C18.9; C19; C20; C21.0-C21.2; C21.8; C22.0- c22.4; C22.7; C22.9; c23; C24.0- C24.1; C24.8-C24.9; C25.0-c25.4; C25.7-c25.9; C26.0-C26.1; c26.9; C30.0-C30.1; c31.0-C31.3; C31.8- c31.9; C32.0-C32.3; C32.8-C32.9; C33; c34.01-c34.02; C34.11- C34.12; C34.2; C34.31-C34.32; C34.81-c34.82; C34.91-c34.92; C37; C38.0-c38.4; C38.8; C39.0; C39.9; C40.01-c40.02; C40.21- c40.22; C40.31-C40.32; c40.81- C40.82; C40.91-c40.92; C41.0- C41.4; c41.9; C43.0; C43.11- C43.12; C43.21-C43.22; C43.30- C43.31' C43.39; c43.4; C43.51- C43.52; C43.59; C43.61-C43.62; C43.71-C43.72; c43.8-c43.9; C44.00-C44.02; C44.09; C44.102; C44.109; C44.112; C44.122; C44.129; C44.192; C44.199; C44.202; C44.209; C44.212; C44.219; C44.222; C44.229; C44.292; C44.299; C44.300- c44.301; C44.309-c44.311; C44.319; C44.320-C44.321; C44.329; C44.390-c44.391; C44.399; C44.40-c44.42; C44.49; C44.500-C44.501; C44.509-C44.511; C44.519-C44.521; C44.529; c44.590-C44.591; C44.599; C44.602; C44.609; C44.612; C44.619; C44.622; C44.629; C44.692; C44.699; C44.702; C44.709; C44.712; C44.719; C44.722; C44.729; C44.792; C44.799; C44.80-C44.82; C44.89; C44.90-C44.92; C44.99; C45.0- C45.2; C45.7; C45.9; C46.0-C46.4; C46.51-c46.52; c46.7; C46.9;
--	--	--	--



Note: For dates of service prior to 10/01/14 please see previous versions of the Chemotherapy and biological LCD L31836 for CPT code requirements for date of service in question.

			C47.0; C47.11-c47.12; C47.21-C47.22; C47.3-C47.6; C47.8-C47.9; C48.0-C48.1; C48.8; C49.0; C49.11-c49.12; C49.21-C49.22; C49.3-c49.6; C49.8-C49.9; C50.011-C50.012; C50.021-c50.022; c50.111-C50.112; C50.121-C50.122; C50.211-C50.212; C50.221-C50.222; C50.311-C50.312; C50.321-c50.322; C50.411-C50.412; C50.421-C50.422; C50.511-C50.512; c50.521-C50.522; c50.611-C50.612; C50.621-C50.622; C50.811-C50.812; C50.821-C50.822; C50.911-c50.912; C50.921-C50.922; C51.0-C51.2; C51.8-C51.9; C52; C53.0-C53.1-C53.8-C53.9; c54.0-C54.3; C54.8; C55; C56.1-C56.2; C57.01-c57.02; C57.11-C57.12; C57.21-C57.22; C57.3-c57.4; C57.7-c57.9; C58; C60.0-C60.2; C60.8-c60.9; C61; C62.01-C62.02; C62.11-C62.12; C62.91-C62.92; C6301-C63.02; C63.11-C63.12; C63.2; C63.7-C63.9; C64.1-c64.2; C65.1-C65.2; C66.1-C66.2; C67.0-C67.9; C68.0-C68.1; C68.8-C68.9; C69.01-C69.02; C69.11-C69.12; C69.21-C69.22; C69.31-C69.32; C69.41-C69.42; C69.51-C69.52; C69.61-C69.62; C69.81-C69.82; C69.91-C69.92; C70.0-c70.1; C71.0-C71.9; C72.0-C72.1; C72.21-C72.22; C72.31-c72.32; C72.41-c72.42; C72.59; C72.9; C73; C74.01-C74.02; C74.11-c74.12; C74.91-C74.92; C75.0-C75.5; C75.8-C75.9; C76.0-C76.3; C76.41-C76.42; C76.51-C76.52; C76.8; C77.0-C77.5; C77.8-C77.9; C78.01-C78.02; C78.1-C78.2; C78.39; C78.4-C78.7; C78.89; C79.01-C79.02; C79.2; C79.31-C79.32; C79.49; C79.51-C79.52; C79.61-C79.62; C79.71-C79.72; C79.81-C79.82; C79.89; C80.0-C80.1; C81.01-C81.09; C81.11-C81.19; C81.21-C81.29; C81.31-C81.39; C81.41-C81.49; C81.71-C81.79; C81.91-C81.99; C82.01-C82.09; C82.11-C82.19; C82.21-C82.29; C82.31-C82.39; C82.41-C82.49; C82.51-C82.59; C82.61-C82.69; C82.81-C82.89; C82.91-C82.99; C83.01-C83.09; C83.11-C83.19;
--	--	--	---

Confidential, unpublished property of CGS

Do not duplicate or distribute

Use and distribution limited solely to authorized personnel

© Copyright 2013 (CGS Administrators, LLC)



Note: For dates of service prior to 10/01/14 please see previous versions of the Chemotherapy and biological LCD L31836 for CPT code requirements for date of service in question.

			C83.31-C83.39; C83.51-C83.59; C83.71-C83.79; C83.81-C83.89; C83.91-C83.99; C84.01-C84.09; C84.11-C84.19; C84.41-C84.49; C84.61-C84.69; C84.71-C84.79; C84.91-C84.99; C84.A1-C84.A9; C84.Z1-C84.Z9; C85.11-C85.19; C85.21-C85.29; C85.81-C85.89; C85.91-C85.99; C86.0-C86.6; C88.0; C88.2-C88.4; C88.8-C88.9; C90.00-C90.02; C90.10-C90.12; C90.20-C90.22; C90.30-C90.32; C91.00-C91.02; C91.10-C91.12; C91.30-C91.32; C91.40-C91.42; C91.50-C91.52; C91.60-C91.62; C91.90-C91.92; C91.Z0-C91.Z2; C91.Z0-C91.Z2; C94.40-C94.42; C94.6; C96.0; C96.2; C96.4; C96.9; C96.A; C96.Z; D03.0; D03.11-D03.12; D03.21-D03.22; D03.30; D03.39; D03.4; D03.51- D03.52; D03.59; D03.61-D03.62; D03.71-D03.72; D03.8-D03.9; D07.1-D07.2; D07.30; D07.39; D37.01-D37.05; D37.030-D37.032; D37.1-D37.6; D37.8-D37.9; D38.0- D38.6; D39.0; D39.11-D39.12; D39.2; D39.8-D39.9; D40.0; D40.11-D40.12; D40.8-D40.9; D41.01-D41.02; D41.11-D41.12; D41.21-D41.22; D41.3-D41.4; D41.8-D41.9; D42.0-D42.1; D43.0- D43.1; D43.3-D43.4; D43.8; D44.0; D44.11-D44.12; D44.2-D44.7; D44.9; D46.0-D46.1; D46.21- D46.22; D46.4; D46.9; D46.A; D46.B; D46.C; D46.Z; D47.0-D47.1; D47.3; D47.Z1; D47.Z9; D48.0- D48.5; D48.61-D48.62; D48.7; D48.9; D49.0-D49.7; D49.81; D49.89; D49.9; Q85.00; Q85.02
Infliximab; Remicade	J1745	10mg	D86.0-D86.3, D86.81-D86.89, K50.00, K50.011- K50.014, K50.018, K50.10, K50.111-K50.114, K50.118, K50.80, K50.811-K50.814, K50.818, K50.90, K50.911-K50.914, K50.918, K51.00, K51.011-K51.014, K51.018, K51.20, K51.211- K51.214, K51.218, K51.30, K51.311-K51.314, K51.318, K51.40, K51.411-K51.414, K51.518, K51.80, K51.811-K51.814, K51.818, K51.90, K51.911-K51.914, K51.918, K60.3-K60.5, K63.2, L40.0-L40.4, L40.8, L40.51-L40.54, L40.59, M05.011-M05.012, M05.021-M05.022,



Note: For dates of service prior to 10/01/14 please see previous versions of the Chemotherapy and biological LCD L31836 for CPT code requirements for date of service in question.

		M05.031-M05.032, M05.041-M05.042, m05.051-M05.052, M05.061-M05.062, M05.071-M05.072, M05.09, M05.211-M05.212, M05.221-M05.222, M05.231-M05.232, M05.241-M05.242, M05.251-M05.252, M05.261-M05.262, M05.271-M05.272, M05.29, M05.311-M05.312, M05.321-M05.322, M05.331-M05.332, M05.341-M05.342, M05.351-M05.352, M05.361-M05.362, M05.371-M05.372, M05.39, M05.411-M05.412, M05.421-M05.422, M05.431-M05.432, M05.441-M05.442, M05.451-M05.452, M05.461-M05.462, M05.471-M05.472, M05.49, M05.511-M05.512, M05.521-M05.522, M05.531-M05.532, M05.541-M05.542, M05.551-M05.552, M05.561-M05.562, M05.571-M05.572, M05.59, M05.611-M05.612, M05.621-M05.622, M05.631-M05.632, M05.641-M05.642, M05.651-M05.652, M05.661-M05.662, M05.671-M05.672, M05.69, M05.711-M05.712, M05.721-M05.722, M05.731-M05.732, M05.741-M05.742, M05.751-M05.752, M05.761-M05.762, M05.771-M05.772, M05.79, M05.811-M05.812, M05.821-M05.822, M05.831-M05.832, M05.841-M05.842, M05.851-M05.852, M05.861-M05.862, M05.871-M05.872, M05.89, M06.011-M06.012, M06.021-M06.022, M06.031-M06.032, M06.041-M06.042, M06.051-M06.052, M06.061-M06.062, M06.071-M06.072, M06.08-M06.09, M06.1, M06.211-M06.212, M06.221-M06.222, M06.231-M06.232, M06.241-M06.242, M06.251-M06.252, M06.261-M06.262, M06.271-M06.272, M06.28-M06.29, M06.311-M06.312, M06.321-M06.322, M06.331-M06.332, M06.341-M06.342, M06.351-M06.352, M06.361-M06.362, M06.371-M06.372, M06.38-M06.39, M06.811-M06.812, M06.821-M06.822, M06.831-M06.832, M06.841-M06.842, M06.851-M06.852, M06.861-M06.862, M06.871-M06.872, M06.88-M06.89, M08.1, M30.1, M31.30-M31.31, M3301-M3302, M33.09, M33.11-M33.12, M33.19, M33.21-M33.22, M33.29,
--	--	--



Note: For dates of service prior to 10/01/14 please see previous versions of the Chemotherapy and biological LCD L31836 for CPT code requirements for date of service in question.

			M33.91-M33.92, M33.99, M36.0, M45.0-M45.8, M48.8X1-M48.8X8
Irinotecan	J9206	20mg	When Irinotecan is used for the treatment of metastatic malignancy, submitting claims for metastatic malignancy a primary and secondary diagnosis is required. Please use the appropriate ICD-10 codes C45.9, C77.0-C77.9, C78.01-C78.02, C78.1-C78.2, C78.30, C78.39, C78.4-C78.7, C78.80, C78.89, C79.00-C79.02, C79.11, C79.19, C79.2, C79.31-C79.32, C79.40, C79.49, C49.51-C79.52, C79.61-C79.62, C79.71-C79.72, C79.81-C79.82, C79.89, C80.0-C80.2 as the primary diagnosis and the original cancer site as the secondary diagnosis from the list of ICD-10 codes listed below. When Irinotecan is used for treating primary brain tumors ICD-10 codes C71.0-C71.9 and C72.9 should be used when submitting claims. C15.3-C15.5, C15.8-C15.9, C16.0-c16.9, C17.0-C17.3, C17.8-C17.9, C18.0-C18.9, C19, C20, C21.0-C21.2, C21.8, C25.0-C25.4, C25.7-C25.9, C33, C34.01-C34.02, C34.11-C34.12, c34.2, C34.31-C34.32, C34.81-C34.82, C34.91-c34.92, C40.01-C40.02, C40.11-C40.12, C40.21-C40.22, C40.31-C40.32, C41.4, C40.81-C40.82, C40.91-C40.92, C41.0-C41.3, C41.9, C45.1, C48.1, C48.8, C50.011-C50.012, C50.021-C50.022, C50.111-C50.112, C50.121-C50.122, C50.211-C50.212, C50.221-C50.222, C50.311-C50.312, C50.321-C50.322, C50.411-c50.412, C50.421-C50.422, C50.511-C50.512, C50.521-C50.522, C50.611-C50.612, C50.621-c50.622, C50.811-C50.812, C50.821-C50.822, C50.911-C50.912, C50.921-C50.922, C53.0-C53.1, C53.8, C56.2, C57.01-C57.02, C57.11-C57.12, C57.21-C57.22, C57.3-C57.4, C71.0-C71.9, C72.9, C7A.1, C7A.8, C82.51-C82.59, C84.91-C84.99, C84.A1-C84.A9, C84.Z1-C84.Z9, C85.11-C85.19, C85.21-C85.29, C85.81-C85.89, C85.91-C85.99, C86.0-C86.4, C91.00, C92.00, C92.40, C92.50, C92.60, C92.A0, Z85.00-Z85.01, Z85.05; Z85.07; Z85.09; Z85.028, Z85.038, Z85.048, Z85.068; Z85.118, Z85.3, 85.818; Z85.830, Z85.841, Z80.49
Ixabepilone; Ixempra Injection	J9207		C50.011-c50.012, C05.021-C50.022, C50.111-C50.112, C50.121-C50.122, C50.211-C50.212,



Note: For dates of service prior to 10/01/14 please see previous versions of the Chemotherapy and biological LCD L31836 for CPT code requirements for date of service in question.

			C50.221-C50.222, C50.311-C50.312, C50.321-C50.322, C50.411-c50.412, C50.421-C50.422, C50.511-C50.512, C50.521-C50.522, C50.611-C50.612, C50.621-c50.622, C50.811-C50.812, C50.821-C50.822, C50.911-C50.912, C50.921-C50.922
Leuprolide Acetate (for depot suspension),	J1950	per 3.75mg	C50.011-c50.012, C05.021-C50.022, C50.111-C50.112, C50.121-C50.122, C50.211-C50.212, C50.221-C50.222, C50.311-C50.312, C50.321-C50.322, C50.411-c50.412, C50.421-C50.422, C50.511-C50.512, C50.521-C50.522, C50.611-C50.612, C50.621-c50.622, C50.811-C50.812, C50.821-C50.822, C50.911-C50.912, C50.921-C50.922, D25.0-d25.2, D25.9, N80.0-N80.6, N80.8-N80.9, N89.7, N92.5, N93.8, Z85.3
Leuprolide Acetate (for depot suspension) Primary ICD-10-CM codes (these diagnoses can be billed as a single diagnosis or in conjunction with the secondary ICD- 10-CM codes listed with an asterisk (*) The ICD-10-CM codes listed with an asterisk (*) are considered secondary codes. When these codes are reported for J9217, the claim must also include a primary diagnosis	J9217	Per 7.5mg	C56.1-C56.2, C61, C77.2*, C77.4*, C77.8*-C77.9*, C78.01*-C78.02*, C78.6*-C78.7*, C79.2*, C79.31*, C79.51*-C79.52*, D07.5, N89.7, N92.5, N93.8, Z85.3, Z85.46
Leuprolide acetate implant; Lupron implant The ICD-10-CM codes listed with an asterisk(*) are considered secondary codes. When these codes	J9219	65mg	C61, C77.2*, C77.4*, C77.8*, C78.01*-C78.02*, C78.6*-C78.7*, C79.2*, C79.31*, C79.51*-C79.52*, D07.5, Z85.46



Note: For dates of service prior to 10/01/14 please see previous versions of the Chemotherapy and biological LCD L31836 for CPT code requirements for date of service in question.

are reported for J9219, the claim must also include a diagnosis from the primary diagnosis list.			
Mitomycin	J9280	5mg	C00.0-C00.9, C01, C02.0-C02.4, C02.8, C03.0-C03.1, C04.0-C04.1, C04.8-C04.9, C05.0-C05.2, C05.8, C06.0-C06.2, C06.80-C06.89, C07, C08.0-C08.1, C08.9, C09.0-c09.1, C09.8, C10.0-C10.4, C10.8, C11.0-C11.3, C11.8, C12, C13.0-c13.2, C13.8, C14.0, C14.2, C14.8, C15.3-C15.5, c15.8, C16.0-C16.6, C16.8, C18.0-C18.8, C19, C20, C21.0-C21.2, C21.8, C22.0-C22.4, C22.7-C22.8, C23, C24.0-C24.1, C24.8, C25.0-C25.4, C25.7-C25.8, C30.0-C30.1, C31.0-C31.3, C31.8, C32.0-C32.3, C32.8, C33, C34.01-C34.02, C34.11-C34.12, C34.2, C34.31-C34.32, C34.81-C34.82, C34.91-C34.92, C37, C38.0-C38.2, C38.4, C38.8, C45.0-C45.2, C47.0, C47.11-C47.12, C47.21-c47.22, C47.3-C47.6, C47.8, C48.0-C48.1, C48.8, C49.0, C49.11-C49.12, C49.21-C49.22, C49.3-C49.6, C49.8, C50.011-c50.012, C05.021-C50.022, C50.111-C50.112, C50.121-C50.122, C50.211-C50.212, C50.221-C50.222, C50.311-C50.312, C50.321-C50.322, C50.411-c50.412, C50.421-C50.422, C50.511-C50.512, C50.521-C50.522, C50.611-C50.612, C50.621-C50.622, C50.811-C50.812, C50.821-C50.822, C50.911-C50.912, C50.921-C50.922, C53.0-C53.1, C53.8-C53.9, C61, C65.1-C65.2, C66.1-C66.2, C67.0-C67.9, C76.0, C92.10-C92.12, D09.0, Z85.038, Z85.3, Z76.82
Obinutuzumab (Gazyva)	J9999		C91.10
Ofatumumab; Arzerra	J9302		C83.51-C83.59, C91.10-C91.12
Oxaliplatin; Eloxatin	J9263	0.5mg	C15.3-C15.5, C15.8, C16.0-C16.6, C16.8, C17.0-c17.3, C17.8, C18.0-C18.8, C19, C20, C21.2, C21.8, C22.1, C23, C24.0-C24.1, C24.8, C25.0-C25.3, C25.7-C25.8, C33, C34.91-c34.92, C45.1, C45.9, C48.1, C48.8, C05.021-C50.022, C50.111-C50.112, C50.121-C50.122, C50.211-C50.212, C50.221-C50.222, C50.311-C50.312, C50.321-C50.322, C50.411-C50.412, C50.421-C50.422.



Note: For dates of service prior to 10/01/14 please see previous versions of the Chemotherapy and biological LCD L31836 for CPT code requirements for date of service in question.

			C50.511-C50.512, C50.521-C50.522, C50.611-C50.612, C50.621-C50.622, C50.811-C50.812, C50.821-C50.822, C50.911-C50.912, C50.921-C50.922, C56.1-C56.2, C57.01-C57.02, C57.11-C57.12, C57.21-C57.22, C57.3-C57.4, C62.01-C62.02, C62.11-C62.12, C62.91-C62.92, C80.1, C82.01-C82.08, C82.11-C82.18, C82.21-C82.28, C82.31-C82.38, C82.41-C82.48, C82.51-C82.59, C82.61-C82.68, C82.81-C82.88, C82.91-C82.98, C83.11-C83.19, C83.31-C83.39, C83.51-C83.58, C83.80-C83.89, C84.61-C84.69, C84.71-C84.79, C84.91-C84.99, C84.A1-C84.A9, C84.Z1-C84.Z9, C85.11-C85.19, C85.21-C85.29, C85.81-C85.89, C85.91-C85.99, C86.0-C86.4, C88.4, C91.10, C91.12, C96.4, C96.9, C96.Z, D37.1-D37.5, D37.8
Paclitaxel; Taxol	J9265	30mg	C00.0-C00.9, C01, C02.0-C02.4, C02.8, C03.0-C03.1, C03.9, C04.0-C04.1, C04.8-C04.9, C05.0-C05.2, C05.8, C06.0-C06.2, C06.89, C07, C08.0-C08.1, C08.9, C09.0-C09., C09.8, C10.0-C10.4, C10.8-C10.9, C11.0-C11.3, C11.8-C11.9, C12, C13.0-C13.2, C13.8-C13.9, C14.0-, C14.2, C14.8, C15.3-C15.5, C15.8-C15.9, C16.0-C16.6, C16.8-C16.9, C21.0-C21.1, C30.0-C30.1, C31.0-C31.3, C31.8-C31.9, C32.0-C32.3, C32.8-C32.9, C33, C34.01-C34.02, C34.11-C34.12, C34.2, C34.31-C34.32, C34.81-C34.82, C34.91-C34.92, C37, C43.0, C43.11-C43.12, C43.21-C43.22, C43.31, C43.39, C43.4, C43.51-C43.52, C43.59, C43.61-C43.62, C43.71-C43.72, C43.8-C43.9, C44.00-C44.02, C44.09, C44.102, C44.109, C44.112, C44.1119, C44.122, C44.129, C44.192, C44.199, C44.202, C44.209, C44.212, C44.219, C44.292, C44.299, C44.301, C44.309, C44.311, C44.319, C44.321, C44.329, C44.391, C44.399, C44.40-C44.42, C44.49, C44.500-C44.501, C44.509-



Note: For dates of service prior to 10/01/14 please see previous versions of the Chemotherapy and biological LCD L31836 for CPT code requirements for date of service in question.

			C44.511, C44.519, C44.520- C44.521, C44.529, C44.590- C44.591, C44.599, C44.602, C44.609, C44.612, C44.619, C44.622, C44.629, C44.692, C44.699, C44.702, C44.709, C44.712, C44.419, C44.722, C44.729, C44.792, C44.799, C44.80-C44.82, C44.89, C44.90- C44.92, C44.99, C45.1, C45.9, C46.0-C46.4, C46.51-C46.52, C46.7, C46.9, C47.0, C47.11- C47.12, C47.21-C47.22, C47.3- C47.6, C47.8-C47.9, C48.0-C48.2, C48.8, C49.0, C49.11-C49.12, C49.21-C49.22, C49.3-C49.6, C49.8-C49.9, C50.011-C50.012, C05.021-C50.022, C50.111-C50.112, C50.121-C50.122, C50.211-C50.212, C50.221-C50.222, C50.311-C50.312, C50.321-C50.322, C50.411-C50.412, C50.421-C50.422, C50.511-C50.512, C50.521-C50.522, C50.611-C50.612, C50.621-C50.622, C50.811-C50.812, C50.821-C50.822, C50.911-C50.912, C50.921-C50.922, C53.0-C53.1, C53.8, C54.0-C54.3, C54.8, C55, C56.1-C56.2, C57.01-C57.02, C57.11-C57.12, C57.21-C57.22, C57.3-C57.4, C58, C61, C62.01- C62.02, C62.11-C62.12, C62.91- C62.92, C65.1-C65.2, C66.1-C66.2, C67.0-C67.9, C71.0-C71.9, C76.0, C7A.1, C7a.8, C80.1, C82.51- C82.59, C83.01-C83.09, C83.81- C83.89, C83.91-C83.99, C84.41- C84.49, C84.91-C84.99, C84.A1- C84.A9, C84.Z1-C84.Z9, C85.11- C85.19, C85.21-C85.29, C85.81- C85.89, C85.91-C85.99, C86.0- C86.6, C90.00-C90.02, C96.4, C96.9, C96.Z, D03.0, D03.11- D03.12, D03.21-D03.22, D03.39, D03.4, D03.51-D03.52, D03.59, D03.61-D03.62, D03.71-D03.72, D03.8-D03.9, D09.0, D15.0, D37.01-D37.02, D37.04-D37.05, D38.0, D49.0-D49.7, D49.81, D49.89, D49.9, Z85.118, Z85.12, Z85.238, Z85.29, Z85.3, Z85.51
Paclitaxel protein-bound particles; Abraxane	J9264	1mg	C00.0-C00.9, C01, C02.0-C02.4, C02.8-C02.9, C03.0-C03.1, C03.9, C04.0-C04.1, C04.8-C04.9, C05.0-C05.2, C05.8-C05.9, C06.0-C06.2, C06.89,



Note: For dates of service prior to 10/01/14 please see previous versions of the Chemotherapy and biological LCD L31836 for CPT code requirements for date of service in question.

			C06.9, C07, C08.0-C08.1, C08.9, C09.0-C09.1, C09.8, C10.0-C10.4, C10.8-C10.9, C11.0-C11.3, C11.8-C11.9, C12, C13.0-C13.2, C13.8-C13.9, C14.0, C14.2, C14.8, C21.0-C21.1, C25.0-C25.4, C25.7-C25.9, C33, C34.01-C34.02, C34.11-C34.12, C34.2, C34.31-C34.32, C34.81-C34.82, C34.91-C34.92, C43.0, C43.11-C43.12, C43.21-C43.22, C43.31, C43.39, C43.4, C43.51-C43.52, C43.59, C43.61-C43.62, C43.71-C43.72, C43.8-C43.9, C45.1, C45.9, C48.0-C48.2, C48.8, C50.011-C50.012, C05.021-C50.022, C50.111-C50.112, C50.121-C50.122, C50.211-C50.212, C50.221-C50.222, C50.311-C50.312, C50.321-C50.322, C50.411-C50.412, C50.421-C50.422, C50.511-C50.512, C50.521-C50.522, C50.611-C50.612, C50.621-C50.622, C50.811-C50.812, C50.821-C50.822, C50.911-C50.912, C50.921-C50.922, C56.1-C56.2, C57.01-C57.02, C57.11-C57.12, C57.21-C57.22, C57.3-C57.4, C76.0, C77.0-C77.9, C78.01-C78.02, C78.1-C78.2, C78.30, C78.39, C78.4-C78.7, C78.80, C78.89, C79.01-C79.02, C79.10-C79.11, C79.19, C79.2, C79.31-C79.32, C79.40, C79.49, C79.51-C79.52, C79.61-C79.62, C79.71-C79.72, C79.81-C79.82, C79.89, C79.9, C7B.01-C7B.04, C7B.09, C7B.1, C7B.8, C80.0-C80.02, D03.0, D03.11-D03.12, D03.21-D03.22, D03.29, D03.4, D03.51-D03.52, D03.59, D03.61-D03.62, D03.71-D03.72, D03.8-D03.9
Pamidronate Disodium; Aredia	J2430	30mg	Paget's Disease, Osteogenesis Imperfecta, Senile Osteoporosis, Complex regional pain syndrome, type 1: G90.50, G50.511-G90.513, G90.521-g90.523, G90.59, M81.0, M88.0, M88.811-M88.812, M88.21-M88.822, M88.831-M88.832, M88.841-M88.842, M88.851-M88.852, M88.861-M88.862, M88.871-M88.872, M88.88-M88.89, Q78.0 Osteolytic lesions of multiple myeloma: C90.00-C90.02 Glucocorticoid-induced osteoporosis: Primary: M81.6, M81.8 Secondary: Z79.51-Z79.52, Z79.3, Z79.891, Z79.899 Osteopenia - Quadriplegic



Note: For dates of service prior to 10/01/14 please see previous versions of the Chemotherapy and biological LCD L31836 for CPT code requirements for date of service in question.

			cerebral palsy: Primary: M85.9, M89.9, M94.9 Secondary: G80.0, M85.9, M89.9, M94.9 Osteolytic bone metastasis of breast cancer: Primary: C79.51-C79.52 Secondary: C33, C34.01-c34.02, C34.11-c34.12, C34.2, C34.31-c34.32, C34.81-c34.82, C34.91-C34.92, C50.011-C50.012, C05.021-C50.022, C50.111-C50.112, C50.121-C50.122, C50.211-C50.212, C50.221-C50.222, C50.311-C50.312, C50.321-C50.322, C50.411-c50.412, C50.421-C50.422, C50.511-C50.512, C50.521-C50.522, C50.611-C50.612, C50.621-c50.622, C50.811-C50.812, C50.821-C50.822, C50.911-C50.912, C50.921-C50.922, C61, C7A.090, Z85.118, Z85.12, Z85.3, Z85.46 Moderate or severe hypercalcemia associated with malignancy, including Tamoxifen induced tumor flare: Primary: E83.52 Secondary: C00.1-C00.9, C01, C02.0-C02.4, C02.8-C02.9, C03.0-C03.1, C03.9, C04.0-C04.1, C04.8-C04.9, C05.0-C05.2, C05.8, C06.0-C06.2, C06.89, C06.9, C07, C08.0-C08.1, C08.9, C09.0-C09.1, C09.8, C10.0-C10.4, C10.8-C10.9, C11.0-C11.3, C11.8-C11.9, C12, C13.0-C13.2, C13.8-C13.9, C14.0, C14.2, C14.8, C15.3-C15.5, C15.8-C15.9, C16.0-C16.9, C17.0-C17.3, C17.8-C17.9, C18.0-C18.9, C19, C20, C21.0-C21.2, C21.8, C22.0-C22.4, C22.7, C22.9, C23, C24.0-C24.1, C24.8-C24.9, C25.0-c25.4, C25.7-C25.9, C26.0-C26.1, C26.9, C30.0-C30.1, C31.0-C31.3, C31.8-C31.9, C32.0-C32.3, C32.8-C32.9, C33, C34.01-C34.02, C34.11-C34.12, C34.2, C34.31-C34.32, C34.81-C34.82, C34.91-C34.92, C37, C38.0-C38.4, C38.8, C39.0, C39.9, C40.01-C40.02, C40.11-C40.12, C40.21-C40.22, C40.31-C40.32, C40.81-C40.82, C40.91-C40.92, C41.0-C41.4, C43.0, C43.11-
--	--	--	---



Note: For dates of service prior to 10/01/14 please see previous versions of the Chemotherapy and biological LCD L31836 for CPT code requirements for date of service in question.

		C43.12, C43.21-C43.22, C43.30-C43.31, C43.99, C43.4, C43.51-C43.52, C43.59, C43.61-C43.62, C43.71-C43.72, C43.8-C43.9, C44.00-C44.02, C44.09, C44.102, C44.109, C44.112, C44.119, C44.122, C44.129, C44.192, C44.199, C44.202, C44.212, C44.219, C44.222, C44.229, C44.292, C44.299, C44.300-C44.301, C44.309-C44.311, C44.319-C44.321, C44.329, C44.390-C44.391, C44.399, C44.40-C44.42, C44.49, C44.500-C44.501, C44.509-C44.511, C44.519-C44.521, C44.529, C44.590-C44.591, C44.599, C44.602, C44.609, C44.612, C44.619, C44.622, C44.629, C44.699, C44.702, C44.709, C44.712, C44.719, C44.722, C44.729, C44.792, C44.799, C44.80-C44.82, C44.89, C44.90-C44.92, C44.99, C45.0-C45.2, C45.7, C45.9, C46.0-C46.4, C46.51-C46.52, C46.7, C46.9, C47.0, C47.11-C47.12, C47.21-C47.22, C47.3-C47.6, C47.8-C47.9, C48.0-C48.2, C48.8, C49.0, C49.11-C49.12, C49.21-C49.22, C49.3-C49.6, C49.8-C49.9, C4A.0, C4A.11-C4A.12, C4A.21-C4A.22, C4A.30-C4A.31, C4A.39, C4A.4, C4A.51-C4A.52, C4A.59, C4A.61-C4A.62, C4A.71-C4A.72, C4a.8, C51.0-C51.2, C51.8-C51.9, C52, C53.0-C53.1, C53.8-C53.9, C54.0-C54.3, C54.8, C55, C56.1-C56.2, C57.01-C57.02, C57.11-C57.12, C57.21-C57.22, C57.3-C57.4, C57.7-C57.9, C58, C60.0-C60.2, C60.8-C60.9, C61, C62.01-C62.02, C62.11-C62.12, C62.91-C62.92, C63.01-C63.02, C63.11-C63.12, C63.2, C63.7-C63.9, C64.1-C64.2, C65.1-C65.2, C66.1-C66.2, C67.0-C67.9, C68.0-C68.1, C68.8-C68.9, C69.01-C69.02, C69.11-C69.12, C69.21-C69.22, C69.31-C69.32, C69.41-C69.42, C69.51-C69.52, C69.61-C69.62, C69.81-C69.82, C69.91-C69.92, C70.0-C70.1, C71.0-C71.9, C72.0-C72.1, C72.21-C72.22, C72.31-C72.32, C72.41-C72.42, C72.59, C72.9, C73,
--	--	--

Confidential, unpublished property of CGS

Do not duplicate or distribute

Use and distribution limited solely to authorized personnel

© Copyright 2013 (CGS Administrators, LLC)



Note: For dates of service prior to 10/01/14 please see previous versions of the Chemotherapy and biological LCD L31836 for CPT code requirements for date of service in question.

		C74.01-C74.02, C74.11-C74.12, C74.91-C74.92, C75.0-C75.5, C75.8-C75.9, C76.0-C76.3, C76.41-C76.42, C76.51-C76.52, C76.8, C77.0-C77.5, C77.8-C77.9, C78.01-C78.02, C78.1-C78.2, C78.39, C78.4-C78.7, C78.89, C79.01-C79.02, C79.11, C79.19, C79.2, C79.31-C79.32, C79.49, C79.61-C79.62, C79.71-C79.72, C79.81-C79.82, C79.89, C7A.00, C7A.010-C7A.012, C7A.019-C7A.026, C7A.029, C7A.091-C7A.096, C7A.098, C7A.1, C7A.8, C7B.01-C7B.04, C7B.09, C7B.1, C7B.8, C80.0-C80.1, C81.01-C81.09, C81.11-C81.19, C81.21-C81.29, C81.31-C81.39, C81.41-C81.49, C81.71-C81.79, C81.91-C81.99, C82.01-C82.09, C82.11-C82.19, C82.21-C82.29, C82.31-C82.39, C82.41-C82.49, C82.51-C82.59, C82.61-C82.69, C82.81-C82.89, C82.91-C82.99, C83.01-C83.09, C83.11-C83.19, C83.31-C83.39, C83.51-C83.59, C83.71-C83.79, C83.81-C83.89, C83.91-C83.99, C83.91-C83.99, C84.01-C84.09, C84.11-C84.19, C84.41-C84.49, C84.61-C84.69, C84.71-C84.79, C84.91-C84.99, C84.A1-C84.A9, C84.Z1-C84.Z9, C85.11-C85.19, C85.21-C85.29, C85.81-C85.89, C85.91-C85.99, C86.0-C86.6, C88.2-C88.4, C88.8, C90.00-C90.02, C90.10-C90.12, C90.20-C90.22, C90.30-C90.32, C91.00-C91.02, C91.10-C91.12, C91.30-C91.32, C91.40-C91.42, C91.50-C91.52, C91.60-C91.62, C91.90-C91.92, C91.A0-C91.A2, C91.Z0-C91.Z2, C92.00-C92.02, C92.10-C92.12, C92.20-C92.22, C92.30-C92.32, C92.40-C92.42, C92.50-C92.52, C92.60-C92.62, C92.90-C92.92, C92.A0-C92.A2, C92.Z0-C92.Z2, C93.00-C93.02, C93.10-C93.12, C93.90-C93.92, C93.30-C93.32, C93.Z0-C93.Z2, C94.00-C94.02, C94.20-C94.22, C94.30-C94.32, C94.80-C94.82, C95.11-C95.12, C95.90-C95.92, C96.0, C96.2, C96.4, C96.9, C96.A, C96.Z, D03.0, D03.11-D03.12,
--	--	---



Note: For dates of service prior to 10/01/14 please see previous versions of the Chemotherapy and biological LCD L31836 for CPT code requirements for date of service in question.

			D03.21-D03.22, D03.30, D03.39, D03.4, D03.51-D03.52, D03.59, D03.61-D03.62, D03.71-D03.72, D03.8-D03.9, D13.7, D45, D47.Z9, E34.0, Z85.00-Z85.01, Z85.020, Z85.028, Z85.030, Z85.038, Z85.040, Z85.048, Z85.05, Z85.060, Z85.068, Z85.07, Z85.09, Z85.110, Z85.230, Z85.520, Z85.810, Z85.818-Z85.819, Z85.821, Z85.9
Panitumumab; Vectibix	J9303		C18.0-C18.9, C19, C20, C21.2, C21.8
Pemetrexed; Alimta	J9305	10mg	C33, C34.01-C34.02, C15.0, C34.11-C34.12, C34.2, C34.31-C34.32, C34.81-C34.82, C34.91-C34.92, C37, C38.4, C45.0-C45.1, C45.9, C48.1, C48.8, C56.1-C56.2, C57.01-C57.02, C57.11-C57.12, C57.21-C57.22, C57.3-C57.4, C65.1-C65.2, C66.1-C66.2, C67.0-C67.9, C77.0-C77.9, C78.01-C78.02, C78.1-C78.2, C78.30, C78.39, C78.4-C78.7, C78.80, C78.89, C79.01-C79.02, C79.10-C79.11, C79.19, C79.2, C79.31-C79.32, C79.40, C79.49, C79.51-C79.52, C79.61-C79.62, C79.71-C79.72, C79.81-C79.82, C79.89, C79.9, C80.0-C80.2
Porfimer Sodium; Photofrin	J9600	75mg	C15.3-C15.5, C15.8-C15.9, C34.01-C34.02, C34.11-C34.12, C34.2, C34.31-C34.32, C34.81-C34.82, C34.91-C34.92, C78.01-C78.02
Pralatrexate; Folotyn; Injection	J9307	1mg	C82.51-C82.59, C84.41-C84.49, C84.61-C84.69, C84.71-C84.79, C84.91-C84.99, C84.A1-C84.A9, C84.Z1-C84.Z9, C85.11-C85.19, C85.21-C85.29, C85.81-C85.89, C85.91-C85.99, C86.0-C86.4



Note: For dates of service prior to 10/01/14 please see previous versions of the Chemotherapy and biological LCD L31836 for CPT code requirements for date of service in question.

Rituximab; Rituxan	J9310	100mg	C81.01-C81.09, C81.11-C81.19, C81.21-C81.29, C81.31-C81.39, C81.41-C81.49, C81.71-C81.79, C81.91-C81.99, C82.01-C82.09, C82.11-C82.19, C82.21-C82.29, C82.31-C82.39, C82.41-C82.49, C82.51-C82.59, C82.61-C82.69, C82.81-C82.89, C82.91-C82.99, C83.01-C83.09, C83.11-C82.19, C83.31-C83.39, C83.51-C83.59, C82.71-C83.79, C83.81-C83.89, C83.91-C83.99, C84.41-C84.49, C84.61-C84.69, C84.1-C84.79, C84.91-C84.99, C84.A1-C84.A9, C85.Z1-C84.Z9, C85.11-C85.19, C85.21-C85.29, C85.81-C85.89, C85.91-C85.99, C86.0-C86.6, C88.0, C88.4, C91.10-C91.12, C91.40-C91.42, C96.4, C96.9, C93.Z, D47.3, D59.0-D59.1, D68.311-D68.312, D68.318, D69.3, D69.41-D69.42, D69.49, M05.011-M05.012, M05.021-M05.022, M05.031-M05.032, M05.041-M05.042, M05.051-M05.052, M05.061-M05.062, M05.071-M05.072, M05.09, M05.211-M05.212, M05.221-M05.222, M05.231-M05.232, M05.241-M05.242, M05.251-M05.252, M05.261-M05.262, M05.271-M05.272, M05.29, M05.311-M05.312, M05.321-M05.322, M05.331-M05.332, M05.341-M05.342, M05.351-M05.352, M05.361-M05.362, M05.371-M05.372, M05.39, M05.411-M05.412, M05.421-M05.422, M05.431-M05.432, M05.441-M05.442, M05.451-M05.452, M05.461-M05.462, M05.471-M05.472, M05.49, M05.511-M05.512, M05.521-M05.522, M05.531-M05.532, M05.541-M05.542, M05.551-M05.552, M05.561-M05.562, M05.571-M05.572, M05.59, M05.611-M05.612, M05.621-M05.622, M05.631-M05.632, M05.641-M05.642, M05.651-M05.652, M05.661-M05.662, M05.671-M05.672, M05.69, M05.711-M05.712, M05.721-M05.722, M05.741-M05.742, M05.751-M05.752, M05.761-M05.762, M05.771-M05.772, M05.79, M05.811-M05.812, M05.821-M05.822, M05.831-M05.832, M05.841-M05.842, M05.851-M05.852, M05.861-M05.862, M05.871-M05.872, M05.89, M06.011-M06.012, M06.021-
--------------------	-------	-------	--



Note: For dates of service prior to 10/01/14 please see previous versions of the Chemotherapy and biological LCD L31836 for CPT code requirements for date of service in question.

			M06.022, M06.031-M06.032, M06.041-M06.042, M06.051-M06.052, M06.061-M06.062, M06.071-M06.072, M06.08-M06.09, M06.1, M06.211- M06.212, M06.221-M06.222, M06.231-M06.232, M06.241-M06.242, M06.251-M06.252, M06.261-M06.262, M06.271-M06.272, M06.28-M06.29, M06.311-M06.312, M06.321-M06.322, M06.331-M06.332, M06.341-M06.342, M06.351-M06.352, M06.361-M06.362, M06.371-M06.372, M06.38-M06.39, M06.811-M06.812, M06.821-M06.822, M06.831-M06.832, M06.841-M06.842, M06.851-M06.852, M06.861-M06.862, M06.871-M06.872, M06.88-M06.89, M30.0-M30.2, M30.8, M31.1, M31.30-M31.31, M31.7, N18.6, T86.01-T86.03, T86.09, T86.11- T86.13, T86.19, T86.5
Sodium Ferric Gluconate, (Intravenous Iron Therapy)	J2916		One of the primary diagnoses AND one of the secondary diagnoses listed with an asterisk (*) are required for payment of sodium ferric gluconate. • For patients with iron deficiency anemia who do not respond to oral iron supplementation due to malabsorption disorders or patients who have documented intolerance to oral iron supplementation. D50.0-D50.1, D50.8-D50.9, K90.9*, K91.2*, 099.011-099.013, T36.0X5A*-T36.9X5A*, T37.0X5A*-T37.5X5A*, T37.8X5A*-T37.9X5A*, T38.0X5A*-T38.7X5A*, T38.805a*, T38.815A*, T38.895A*, T38.905A*, T38.995A*, T39.015A*, T39.095A*, T39.1X5A*-T39.2X5A*, T39.315A*, T39.395A*, T39.4X5A*, T39.8X5A*-T39.9X5A*, T40.0X5A*-T40.8X5A*, T40.905A*, T40.995A*, T41.5X5A*, T42.0X5A*-T42.8X5A*, T43.015A*, T43.1X5A*, T43.205A*, T43.215A*, T43.225A*, T43.295A*, T43.3X5A*-T43.4X5A*, T43.505A*, T43.595A*, T43.605A*, T43.615A*, T43.625A,



Note: For dates of service prior to 10/01/14 please see previous versions of the Chemotherapy and biological LCD L31836 for CPT code requirements for date of service in question.

		T43.635A*, T43.695A*, T43.8X5A*-T43.9X5A*, T44.0X5A*-T44.8X5A*, T44.905A*, T44.995A*, T45.0X5A*-T45.4X5A*, T45.515A*, T45.525A*, T45.605A*, T45.615A*, T45.625A*, T45.695A*, T45.7X5A*-T45.9X5A*, T46.0X5A*-T46.8X5A*, T46.905A*, T46.995A*, T47.0X5A*-T47.9X5A*, T48.0X5A*-T48.6X5A*, T48.905A*, T48.995A*, T49.0X5A*-T48.9X5A*, T50.0X5A*-T50.8X5A*, T50.995A*, T50.A15A*, T50.A25A*, T50.A95A*, T50.B15A*, T50.B95A*, T50.Z15A*, T50.Z95A*, Z87.19* • For anemia related to chronic kidney disease: Handled by NCD 110. 10 D50.0-D50.1, D50.8-D50.9, D63.1, N18.3*-N18.6* • Initial treatment of absolute iron deficiency in patients receiving myelosuppressive chemotherapy who have asymptomatic anemia and risk factors for the development of symptomatic anemia requiring transfusion. D63.0, Z51.11*,Z51.89* • For patients with anemia related to chemotherapy, claims must be reported with ICD-9-CM code D64.81 (antineoplastic chemotherapy induced anemia) related to chemotherapy plus the non-myeloid malignancy for which the chemotherapy was administered. (Note: 205.00-205.91, 206.00-206.91, 207.00-208.91 are myeloid malignancies and are excluded from coverage.) D64.81 C00.0*, C00.2*, C00.6*, C00.8*-
--	--	--



Note: For dates of service prior to 10/01/14 please see previous versions of the Chemotherapy and biological LCD L31836 for CPT code requirements for date of service in question.

		C00.9*, C01*C02.4*, C02.8*- C02.9*, C03.0*-C03.1*, C03.9*, C04.0*-C04.1*- , C04.8*-C04.9*, , C06.0*, C06.2*, C06.89*, c06.9*, C07*, C08.1*, C08.9*, C09.9*, C10.9*, C11.0*, C11.3*, C11.8*- C11.9*, C13.0*, C13.2*, C13.8*- C13.9*, C14.0*, C14.2*, C14.8*, C15.3*, C15.5*, C15.8*-C15.9*, C16.0*, C16.6*, C16.8*-C16.9*, C17.0*, C17.3*, C17.8*-C17.9*, C18.3*, C18.9*, C19*, C21.0*, C21.2*, C21.8*, C22.0*, C22.2*- C22.4*, C22.7*-C22.9*, C23*, C24.1*, C24.8*-C24.9*, C25.0*, C25.4*, C25.7*-C25.9*, C30.0*, C31.3*, C31.8*-C31.9*, C32.0*, C32.3*, C32.8*-C32.9*, C33, C34.01*-C34.02*, C34.31*-C34.32*, C34.81*-C34.82*, C34.91*-C34.92*, C37, C38.2*-C38.4*, C38.8*- C38.9*, C39.0*, C40.81*-C40.82*, C40.91*-C40.92*, C41.0*, C41.9*, C43.0*, C43.9*, C44.00*-C44.02*, C44.09*, c44.90*-C44.92*, c44.99*, C45.0*-C45.1*, C45.7*, C45.9*, C46.0*, C46.3*, C46.7*, C46.9*, c47.0*, C47.11*-C47.12*, C47.9*, C48.0*-C48.2*, C48.8*, C49.0*, C49.11*-C49.12*, C49.9*, C50.011*-C50.012*, C05.021*- C50.022*, C50.111*-C50.112*, C50.121*-C50.122*, C50.211*- C50.212*, C50.221*-C50.222*, C50.311*-C50.312*, C50.321*- C50.322*, C50.411*-C50.412*, C50.421*-C50.422*. C50.511*- C50.512*, C50.521*-C50.522*, C50.611*-C50.612*, C50.621*- C50.622*, C50.811*-C50.812*, C50.821*-C50.822*, C50.911*- C50.912*, C50.921*-C50.922*, C51.8*-C51.9*, C52*, C53.0*- C53.1*, C53.8*-C53.9*, C54.0*- C54.3*, C54.8*, C55*, C56.1*- C56.2*, C57.01*-C57.02*, C57.21*- C57.22*, C57.4*, C57.7*-C57.9*, C58*, C60.0*, C61*, C62.01*- C62.02*, C62.11*-C62.12*, C62.91*-C62.92*, C63.9*, C64.1- C64.2*, C67.0*, C67.9*, C68.1*, C68.8*-C68.9*, C69.1*-C69.42*, C69.91*-C69.92*, C70.1*, C71.0*, C71.9*, C72.21*-c72.22*, C72.31*-
--	--	--



Note: For dates of service prior to 10/01/14 please see previous versions of the Chemotherapy and biological LCD L31836 for CPT code requirements for date of service in question.

		C72.32*, C72.41*-C72.42*, C72.59*, C72.9*, C73*, C74.01*- C74.02, C74.11*-C74.12, C74.91*- C74.92*, C75.0*-C75.2*, C75.5*, C75.8*-C75.9*, C76.0*, C76.51*- C76.52*, C76.8*, C77.0*, C77.3*- C77.5*, C77.8*-C77.9*, C78.01*- C78.02*, C78.7*, C78.80*, C78.89*, C79.01*-C79.02*, C79.71*-C79.72*, C79.81*-C79.82*, C80.0*-C80.1*, C81.00*, C81.08*- C81.10*, C81.18*-C81.19*, C81.20*, C81.28*-C81.29, C81.30*, C81.38*-C81.39*, C81.40*, C81.48*-C81.49*, C81.70*, C81.78*-C81.79*, C81.90*, C81.98*-C81.99*, C82.01*-C82.09*, C82.11*-C82.19*, C82.21*-C82.29*, C82.31*-C82.39*, C82.41*-C82.49*, C82.58*-C82.59*, C82.61*-C82.69*, C82.81*-C82.89*, C82.91*-C82.99*, C83.00*, C83.08*-C83.09*, C83.10*, C83.18*-C83.19*, C83.30, C83.38*-C83.39*, C83.50*, C83.58*-C83.59*, C83.70*, C83.78*-C83.79*, C83.80*, C83.88*-C83.89*, C83.90*, C83.98*-C83.99*, C84.08*-C84.10*, C84.18*-C84.19*, C84.48*-C84.49*, C84.60*, C84.68*-C84.69*, C84.70*, C84.78*-C84.79*, C84.98*-C84.99*, C84.A8*-C84.A9*, C84.Z8*-C84.Z9*, C85.18*-C85.20*, C85.28*-C85.29*, C85.98*-C85.99*, C86.4*-C86.6*, C88.0*, C88.2*- C88.4*, C88.8*, C90.00*, C90.02*, C90.10*, C90.12*, C90.20*, C90.22*, C90.30*, C90.32*, C91.00*, C91.02*, C91.10*, C91.12*, C91.30*, C91.32*, C91.40*-C91.42*, C91.50*, C91.52*, C91.60*, C91.62*, C91.90*, C91.92*, C91.A0*, C91.A2*, C91.Z0*, C91.Z2*, C94.40*-C94.42*, C94.6*, C96.0*, C96.2*, C96.4*, C96.9, C96.A*, D03.0*, D03.9*, D07.1*, D07.30*, D07.39*, D37.030*-D37.032*, D38.5*, D39.0*, D41.01*-D41.02*, D41.11*-D41.12*, D41.21*-D41.22*, D41.3*-D41.4*, D41.8*-D41.9*, D42.0*-D42.1*, D43.3*, D43.8*- D43.9*, D44.3*-D44.4*, D46.0*- D46.1, D46.21*-D46.22*, D46.A*,
--	--	---



Note: For dates of service prior to 10/01/14 please see previous versions of the Chemotherapy and biological LCD L31836 for CPT code requirements for date of service in question.

			D46.B*, D46.C*, D46.Z*, D47.0* - D47.1*, D48.0*, D47.3*, D47.Z1*, D47.Z9*, D48.61*-D48.62*, D48.7*, D49.0*, D49.7*, D49.81*, D49.89*, D49.9*, D50.0*-D50.1*, D50.8* - D50.9*, N18.3*-N18.6*, Q85.00*, Q85.02*
Sipuleucel-T Sipuleucel-T;Provenge; Injection	J3490 J3590 J9999 Q2043		Please refer to Article A51280 on the CMS MCD for complete coverage guidelines.
Supply of radiopharmaceutical diagnostic imaging agent, Indium-111; Ibritumomab A9543 Supply of radiopharmaceutical therapeutic imaging agent, Yttrium 90 Ibritumomab NOTE: Zevalin use is approved as part of a therapeutic regimen with Rituximab. Rituximab must be administered on the same date of service as either Indium-111 Ibritumomab or Yttrium 90 Ibritumomab	A9542 A9543		C82.01-C82.09, C82.11-C82.19, C82.21-C82.29, C82.31-C82.39, C82.41-C82.49, C82.61-C82.69, C82.81-C82.89, C82.91-C82.99, C83.01-C83.09, C83.11-C83.19, C83.31-C83.39, C83.51-C83.59, C83.71-C83.79, C83.81-C83.89, C83.91-C83.99, C84.41-C84.49, C84.61-C84.69, C84.71-C84.79, C84.91-C84.99, C84.A1-C84.A9, C84.Z1-C84.Z9, C85.11-C85.19, C85.21-C85.29, C85.51-C85.59, C85.81-C85.89, C85.91-C85.99, C86.0-C86.6, C96.4, C96.9, C96.Z
Thyrotropin Alfa (Thyrogen®)	J3240		C73, E01.1, E04.2, E89.0, Z85.850
Topotecan; Hycamtin	J9351	0.1mg	C33, C34.01-C34.02, C34.11-C34.12, C34.2, C34.31-C34.32, C34.81-C34.82, C34.91-C34.92, C40.01-C40.02, C40.11-C40.12, C40.21-C40.22, C40.31-C40.32, C40.81-C40.82, C40.91-C40.92, C41.0-C41.4, C44.00-C44.02, C44.09, C44.102, C44.109, C44.112, C44.119, C44.122, C44.129, C44.192, C44.199, C44.202, C44.209, C44.212, C44.219, C44.222, C44.229, C44.292, C44.299, C44.300-



Note: For dates of service prior to 10/01/14 please see previous versions of the Chemotherapy and biological LCD L31836 for CPT code requirements for date of service in question.

			C44.301, C44.309, C44.310- C44.311, C44.319, C44.320- C44.321, C44.329, C44.390- C44.391, C44.399, C44.40-C44.42, C44.49, C44.500-C44.501, C44.509, C44.510-C44.511, C44.519, C44.520-C44.521, C44.529, C44.590-C44.591, C44.599, C44.602, C44.609, C44.612, C44.619, C44.622, C44.629, C44.692, C44.699, C44.702, C44.709, C44.712, C44.719, C44.722, C44.729, C44.792, C44.799, C44.81-C44.82, C44.89, C44.90-C44.92, C44.99, C45.1, C48.1-C48.2, C48.8, C4A.0, C4A.11-C4A.12, C4A.21-C4A.22, C4A.30-C4A.31, C4A.39, C4A.4, C4A.51-C4A.52, C4A.59, C4A.61- C4A.62, C4A.71-C4A.72, C4A.8- C4A.9, C53.0-C53.1, C53.8-C53.9, C54.0-C54.3, C54.8-C54.9, C56.1- C56.2, C57.01-C57.02, C57.21- C57.22, C57.3-C57.4, C78.01- C78.02, C78.39, C78.7, C79.31, C79.51-C79.52, C79.71-C79.72, C7A.00, C7A.010-C7A.012, C7A.019, , C7A.020-C7A.026, C7A.029, C7A.090-C7A.098, C7A.1, C7A.8, C7B.00-C7B.04, C7B.09, C7B.1, C7B.8, C83.39, C83.80-C83.89, C88.8, C92.10-C92.12, C92.Z0- C92.Z2, C94.40-C94.42, C94.6, D06.0-D06.1, D06.7, D06.9, D26.0, D39.0, D46.0-D46.1, D46.20- D46.22, D46.4, D46.9, D46.A, D46.B, D46.C, D46.Z, D47.1, D47.3, D47.9, D47.Z1, D47.Z9, D49.2, D49.5
Trastuzumab; Herceptin	J9355	10mg	C15.3-c15.5, C15.8-c15.9, C16.0- C16.9, C50.011-C50.012, C05.021- C50.022, C50.111-C50.112, C50.121-C50.122, C50.211-C50.212, C50.221-C50.222, C50.311-C50.312, C50.321-C50.322, C50.411-c50.412, C50.421-C50.422. C50.511-C50.512, C50.521-C50.522, C50.611-C50.612, C50.621-c50.622, C50.811-C50.812, C50.821-C50.822, C50.911-C50.912, C50.921-C50.922, C37.1-C37.5, C37.8-C37.9, C48.61-C48.62, C49.3, Z85.3
Triptorelin Pamoate	J3315	3.75 mg	C61, C77.2*, C77.4*, C77.8*-



Note: For dates of service prior to 10/01/14 please see previous versions of the Chemotherapy and biological LCD L31836 for CPT code requirements for date of service in question.

The ICD-9-CM codes listed with an asterisk(*) are considered secondary codes. When these codes are reported for J3315, the claim must also include a primary diagnosis from the list.			C77.9*, C78.01*-C78.02*, C78.6*-C78.7*, C79.2*, C79.31*, C79.51-C79.52, D07.5, Z85.46
Vantas Implant Histrelin implant Primary ICD-10-CM codes (these diagnoses can be billed as a single diagnosis or in conjunction with the secondary ICD-10-CM codes listed with an asterisk (*)) The ICD-10-CM codes listed with an asterisk (*) are considered secondary codes. When these codes are reported J9225, the claim must also include a diagnosis from the primary diagnosis list.	J9225	50mg	C61, C77.2*, C77.4*, C77.8*-C77.9*, C78.01*-C78.02*, C78.6*-C78.7*, C79.2*, C79.31*, C79.51*-C79.52*, D07.5, Z85.46 Limitations: Use ICD-10-CM code E30.1 or E30.8 for children with disability who are covered under Medicare.
Vantas Implant; Supprelin LA	J9226	50mg	E30.1, E30.8
Vinorelbine Tartrate	J9390	10mg	C00.0-C00.6, C00.8, C01, C02.0-C02.4, C02.8-C02.9, C03.0-C03.1, C03.9, C04.0-C04.1, C04.8-C04.9, C05.0-C05.2, C05.8, C06.0-C06.2, C06.89, C06.9, C07, C08.0-C08.1, C08.9, C09.0-C09.1, C09.8, C10.0-C10.4, C10.8-C10.9, C11.0-C11.3, C11.8-C11.9, C12, C13.0-C13.2, C13.8-C13.9, C14.0, C14.2, C14.8, C15.3-C15.5, C15.8-C15.9, C33,



Note: For dates of service prior to 10/01/14 please see previous versions of the Chemotherapy and biological LCD L31836 for CPT code requirements for date of service in question.

			C34.01-C34.02, C34.11-C34.12, C34.2, C34.31-C34.32, C34.81-C34.82, C34.91-C34.92, C45.1, C46.0-C46.4, C46.51-C46.52, C46.7, C46.9, C47.0, C47.11-C47.12, C47.21-C47.22, C47.3-C47.6, C47.8-C47.9, C48.0-C48.2, C48.8, C49.0, C49.11-C49.12, C49.21-C49.22, C49.3-C49.6, C49.8-C49.9, C50.011-C50.012, C05.021-C50.022, C50.111-C50.112, C50.121-C50.122, C50.211-C50.212, C50.221-C50.222, C50.311-C50.312, C50.321-C50.322, C50.411-C50.412, C50.421-C50.422, C50.511-C50.512, C50.521-C50.522, C50.611-C50.612, C50.621-C50.622, C50.811-C50.812, C50.821-C50.822, C50.911-C50.912, C50.921-C50.922, C53.0-C53.1, C53.8-C53.9, C56.1-C56.2, C57.01-C57.02, C57.11-C57.12, C57.21-C57.22, C57.3-C57.4, C61, C81.01-C81.09, C81.11-C81.19, C81.21-C81.29, C81.31-C81.39, C81.91-C81.99, C84.41-C81.49, C81.71-C81.79, C82.58-C82.59, C83.08-C83.09, C83.88-C83.89, C83.98-C83.99, C84.41-C84.49, C84.98-C84.99, C84.A8-C84.A9, C84.Z8-C84.Z9, C85.18-C85.19, C85.21-C85.29, C85.88-C85.89, C85.98-C85.99, C86.4-C86.6, C96.4, C96.9, C96.Z, Z85.01, Z85.118, Z85.3, Z85.41, Z85.43-Z85.44, Z85.46
Xofigo	A9699	27 uci/ml	Must use primary dx C61 and secondary dx C79.51 or C79.52